

Digitized by the Internet Archive in 2010 with funding from Lyrasis Members and Sloan Foundation

# ANNUAL REPORT

---OF THE---

# State Board of Health

---OF---

### MARYLAND

-FOR THE-


YEAR ENDING DECEMBER 31, 1903.



WM. J. C. DULANY CO., STATE PRINTERS

### State Board of Health of Maryland, 1903.

DR. WM. H. WELCH, President	BALTIMORE.
DR. HOWARD BRATTON	ELKTON.
DR. E. J. DIRICKSON	BERLIN.
DR. JAMES BOSLEY, Health Commissioner of Baltimore City (Ex-officio).	
MR. J. B. NOEL WYATT	BALTIMORE.
Hon. ISIDOR RAYNER, Attorney-General of Maryland (Ex-officio).	
DR. JOHN S. FULTON, Secretary	BALTIMORE.
-	,
DR. MORRIS C. ROBINS, Medical Assistant	BALTIMORE.
DR. WM. R. STOKES, Bacteriologist	BALTIMORE.
D. III D. D. DESINYTHAN OI	
DR. W. B. D. PENNIMAN, Chemist	BALTIMORE.
MR. CHARLES N. MITTEN, Inspector	
	BALTIMORE.
MR. CHARLES N. MITTEN, Inspector	BALTIMORE. BALTIMORE.



### LETTER OF TRANSMITTAL.

Office of the State Board of Health.

Baltimore, August 1, 1904.

To His Excellency

the Hon. Edwin Warfield,

Governor of Maryland:

I have the honor to transmit herewith the annual report of the State Board of Health for the year 1903. The reports of the local boards of health will be missed from this report, all of them having been lost in the fire of February 7. The report on vital statistics includes all the more important data, but the analysis of the records is not so complete as is desirable, and the diagrams which illustrate the meaning of the cold figures are omitted. After the fire of February 7 we found ourselves under the necessity of reconstructing the tables for both the years 1902 and 1903. This is laborious work and very painstaking. Our other routine duties have been in the meantime no lighter than usual, so that we have felt obliged to send the 1903 statistics to press less completely analyzed than those of former years.

I have to record the death of Dr. John Morris, of Baltimore, for more than a quarter of a century a faithful member of the State Board of Health. No man in Maryland was so familiar with the history of public hygiene in America, and especially in the State of Maryland. Until the last year of his life Dr. Morris was unremitting in attention to his duties as a member of the Board, and his interest in the sanitary affairs of the State was unflagging. His death occurred in the City Hospital, in Baltimore, on January 29, 1903.

The then Governor of Maryland, His Excellency John Walter Smith, appointed Dr. Edwin J. Dirickson, of Worcester County, to fill out the unexpired term of Dr. Morris.

The monthly meetings of the Board during the year have been faithfully attended, and all the business of the Board has been attended to promptly.

Yours most respectfully,

JOHN S. FULTON,

Secretary.



## REPORT OF THE SECRETARY.

The great fire of February 7, 1903, destroyed the office of the State Board of Health in the Maryland Life Insurance Building, at 10 South street, Baltimore. The fire occurred on Sunday, and few of those having possessions in the path of the conflagration were warned in time to effect much salvage. The Secretary of the Board had an urgent official call to Caroline County on that date, and, intending to leave by an early boat on Monday morning, went down-town on Sunday evening for the purpose of spending the night on the steamer. this circumstance all the valuable records in the office of the State Board of Health would have been lost, for no warning had been given that the fire would spread as far as South The projected trip of the Secretary was postponed. The office of the Board was on the fourth floor of the building, and the elevator was idle. It was after eight o'clock, and the prospects were that not more than two hours remained for removing the State's property. A messenger was dispatched to notify the members of the office force and to hire a team. It was necessary to make a choice as to what The records of births and deaths and the should be saved. ·laboratory records seemed most valuable, and all of these were saved from the fire, though the records of six counties for the month of March, 1903, were lost from the wagon in transit from the scene of the fire.

The more valuable books were removed and many valuable loose papers. The records of the Tuberculosis Commission were all in the offices of the State Board of Health, and nearly all of them were saved. The Medical Officer of the Commission, Dr. Marshall L. Price, was confined to his bed by illness.

The fireproof safe was, of course, locked, and its combination known only to Mr. Charles Mitten, who was out of town and did not arrive on the scene until ten o'clock. It is little to be regretted, however, that the safe could not be opened, for it was very full. No furniture was saved.

The whole edition of the Report of the State Board of Health for 1901 was in the office ready for transmission to the Legislature. This was lost. The Report for 1902 was completed and ready for binding at the printing house of King Brothers, 123 East Baltimore street. This, too, was lost.

The Secretary's monthly reports for the last half of the year 1903 were in the stenographer's desk with all the reports of the local health officers. All of these were lost.

Two weeks after the fire the contents of the safe were found in excellent condition. Letters received were all lost in the filing cabinet.

Under such circumstances it is beyond the power of the State Board of Health to make a detailed and circumstantial report of its year's operations. The vital statistics for two years past have to be laboriously reconstructed from the original records. This is a time-consuming work, and we shall do no more than summarize the results.

The operations of the Board in 1902 and 1903 were of great interest, and it is greatly to be regretted that their history must be so roughly sketched. In 1902 the State Board of Health prepared and presented to the Legislature a bill providing for the creation of a Tuberculosis Commission. This project had the hearty support of His Excellency John Walter Smith, the Governor of Maryland. This bill became a law, and Governor Smith appointed as the Tuberculosis Commission the following persons: Dr. William S. Thayer, of Baltimore; Mr. John M. Glenn, of Baltimore; Dr. Lillian Welsh, of Baltimore; Dr. W. Frank Hines, of Chestertown; Mr. George Stewart Brown, of Baltimore.

The Commission organized, and in the autumn of 1902 appointed Dr. Marshall L. Price, of Towson, as Medical Officer to devote the whole of his time to the work of the Commission.

The preliminary report of the Tuberculosis Commission, ready for distribution, was destroyed by the fire. Fortunately, however, the valuable records of the Commission were saved, and a more extended report now in course of

preparation will fully acquaint your Excellency with the results of their most painstaking investigations.

The State Board of Health mentions the origin and progress of the Tuberculosis Commission in this place because it considers the creation of this Commission one of the most important events in the history of public hygiene in Maryland, and looks upon the work already accomplished by this Commission as best of the sort so far done in America. The most conclusive evidence of its value was furnished by the Tuberculosis Exposition, organized and presented by the Commission in Baltimore, in the early part of the present year (January, 1904). The interest excited by the Exposition among the people of Maryland was very remarkable, but not more so than the large attendance which it attracted from various parts of the United States and Canada.

### Vital Statistics.

The law on the subject requires the Secretary of the State Board of Health to report in January of each year concerning the births and deaths of the year next preceding. It is physically impossible to comply with this requirement as to the time of publication. The law provides that the returns of local registrars shall be made to the State Board of Health between the fifth and tenth of each month. One-third of the month of January has, therefore, passed before the records for December begin to arrive. The filing and tabulation of these records is quite laborious, and by no means to be hurried. Unless other work is, for the time, suspended, it is not possible to complete a good analysis of the records within the first four months of the year.

For the registration of deaths, it may be said that this work continues to improve. Certain counties continue to neglect these records, the worst offenders being, as heretofore, the counties of St. Mary's and Garrett. But for St. Mary's and Garrett counties, the State of Maryland would now be admitted to the group of Registration States of the American Union. This is not, however, likely to be a moving consideration to either Garrett or St. Mary's.

The returns for some other counties lack completeness and promptness. Somerset and Montgomery are in this class.

Official indolence and indifference are responsible for the defects in these counties. The towns, as a rule, make very complete and prompt returns. There is one exception, Laurel, in Prince George's County. The sanitary government of Laurel has been in all respects extremely poor for several years past, so that neglect to count up and report the births and deaths is not surprising.

### A Suggestion Concerning the Improvement of Birth Registration.

The operation of the vital statistics law is constantly improving and as far as the registration of deaths is concerned we are now confident that Maryland will appear at the next Decennial Census among the Registration States, a distinction which we have been over-long in attaining.

With respect to the registration of births we are far less We do not know at all the rate of natural insuccessful. crease of population in this State, and this knowledge is of great importance in interpreting our mortality accounts, and also in making wise provision for the future of our public schools. The people of this State have been always accustomed to the use of makeshifts rather than systematic records, so that it has not been easy to impress them with the value of records of births. We are not in bad contrast with the people of other States in this regard, for the registration of births has been generally neglected over the United States. Within the past two years, however, the country has been distinctly aroused on this subject, and within a year the Federal Congress passed a resolution directing the attention of all State governments to the necessity of uniform and accurate methods of registering both births and deaths. The Census Bureau has been made a permanent arm of the National Government for the special purpose of handling the vital data of the United States, and is exerting its influence to bring about uniformity of practice and the completeness of results. There is not the slightest doubt that marked advances are shortly to be made in this work throughout the country, for it is everywhere in a backward condition, and its growing importance has become generally recognized. Consider for a

moment that our population can only increase through the birth rate or through a favorable balance of migration among the people, that we do not know what part of our natural increase is due to births, nor what part, if any, is due to immigration; reflect further that more than 30 per cent. of our population is under the age of 15 years, and that upon this part of the population nearly all the money provided by taxation is expended, and I think your Excellency will perceive the need of constant and accurate information concerning the course and the rate of growth of our population.

An increased registration of births in Maryland can be brought about by amending the law on the subject, but the law cannot be profitably amended without increasing the expense of its administration. The desired results could, we think, be brought about by emphasizing the material interest of the people in the registration of births, and this can be done without amending the registration law itself.

Actual material interest in birth registration already exists, but is unrecognized. A great number and variety of privileges and immunities depend upon attained age; the right to attend school, to hold or to transfer property, to marry, to vote, to hold office, to enter the civil and military service of the State and country, exemption from military service, jury duty, responsibility for crime, all of these things depend upon attained age, and when any of these privileges or immunities are in question all sorts of makeshifts are employed to prove attained age. The most satisfactory evidence of attained age is a copy of one's own certificate.

If the laws on all these subjects required persons whose attained ages were called in question to present some written and attested evidence of attained age, it would immediately become materially important to register births and deaths at the time of their occurrence.

We propose, therefore, that all new legislation affecting any of the rights and immunities which are conditioned upon attained age shall contain a provision requiring that persons claiming any of these rights or immunities shall present certified copies of their birth certificates, or some other written and attested evidence of attained age. Such a provision could be so liberally expressed as to offer no more than a trifling inconvenience to those whose births have not been anywhere recorded; their situation would, indeed, be just what it is at present, while those whose births are recorded will within twenty years be a majority of the people of the State. The law has been in operation since 1898, and county registrars are now in possession of the birth records of a majority of those who will begin school attendance in 1904.

If we had some such means of checking the claims of citizens upon the privileges and immunities offered by the State, we should not only be enabled to provide more accurately for the increase of the younger population, but we should also probably find that many persons claim certain privileges earlier than they should, and that certain other privileges are held for longer periods than the law allows. For instance, it will probably be found that many young people are protracting their school life, at the cost of the State, for several years after they should have taken up their working life.

Reflecting again that more than one-third of the population will always be under the age of twenty-one, and that in any event a period of years must pass before the advantages of birth registration can be made available for the whole population, we must choose whether we shall cover that interval by peremptory legislation, or by the easy and natural extension of birth registration under the Act of 1898. What we ask is merely the explicit recognition in other statutes of the existing law on birth registration, so that whenever citizens claim any of the privileges and immunities depending on attained age inquiry may be made for the official evidence of attained age.

## Local Boards of Health—A Plan for Increasing Their Efficiency.

Comparing the present sanitary organization of the State with that of a few years ago it appears that substantial progress has been made. Nevertheless, the existing conditions are not satisfactory, and cannot become satisfactory until local boards of health are properly equipped. The laws on the subject preserve the idea of local self-government, and provide for thoroughly equipped organization. The county

is the established unit, and ample powers are conferred upon the county commissioners to organize and equip efficient boards of health. All of the counties now comply with the letter of the law, though some of them do not conform to its spirit. Many of the incorporated towns have good charter provisions for boards of health, so that there are now fiftythree local boards of health in the State. 'The best of them are very good, and the poorest are very poor, some of them so inefficient that the money spent upon them is little better than wasted. Now is the time to mend this fault. If the principle of local government of counties is not developed now, we shall in a few years find the State covered with numerous town boards of health acting under charter provisions, working independently of each other, often at variance among themselves, without definite responsibility to any central authority, and practically incapable of the co-ordinated activity upon which the safety of the State depends. Such is the status of affairs in several more populous States at this time, and such conditions in part explain the indifferent success that some States have experienced in dealing with the present epidemic of small-pox in the United States.

In most of the counties of Maryland the erroneous view prevails that boards of health are useful only in towns, and that rural districts need no sanitary supervision. The practical insufficiency of such a method of organization has been amply demonstrated in the neighboring States of Delaware, Pennsylvania, West Virginia and Virginia, where small-pox in the rural districts has been neglected or poorly managed, and has persisted in spite of the town boards of health. In Maryland the sanitary organization, poor as it is, covers the whole State, and if the twenty-three local jurisdictions were brought up to a respectable standard of effectiveness our defenses would be ample. The tendency of the county boards to pay special attention to towns and to neglect the rural districts exists, however, and has furnished several examples of failure to keep small-pox within reasonable control. Four Maryland counties have each had in one year more small-pox than the City of Baltimore has had in five years.

Small-pox visits us but occasionally, and the damage inflicted by this disease is not worth one moment's consideration besides the harm done by common infections against which the fuller county boards make no effort whatever. The county boards must be strengthened, and their supremacy in their political limits must be maintained. The existing method of organization of county boards of health is good and should not be disturbed.

In practice, however, one finds that county commissioners, who compose the boards of health, are often quite ignorant of sanitary operations, and cannot, during their short terms, become informed upon these subjects. They must appoint a physician as health officer, and they often prefer that the office shall be accepted as a sinecure. As a sinecure, the office is often accepted and administered. The county commissioners very rarely meet as boards of health. Many of them do not desire or expect any report from their health officers, and some of them refuse to sit at all as boards of health. The men selected as health officers are, as a rule, respectable physicians, but they seldom have any practical familiarity with their official duties. After his appointment, the health officer usually waits for an emergency to begin his practical education. He learns nothing about the restriction of the common diseases always prevalent about him, for the county commissioners have not authorized him, and perhaps have even forbidden him, to do the simple things which are required by law. Unless the public mind grows excited about an unusual kind or amount of sickness, the county health officer may conclude his official term without having done his community a penny's worth of professional service and without having gained a penny's worth of knowledge or skill in sanitation. Such is the status of sanitary administration in one-third of the counties of Maryland, and it is very expensive. Let us emphasize the point that this neglect is expensive. The expense as expressed in the waste of money on the maintenance of such boards is very slight. When these idle boards are confronted with what they consider to be emergencies, it simply means that they have been caught asleep. Moreover, when they do proceed they incur much unnecessary expense and all the injurious accompaniments of haste and alarm. Even in the presence of familiar diseases, such as measles, scarlet fever, diphtheria,

whooping-cough, typhoid fever, local health officers sometimes grow suddenly very active under the stimulus of popular excitement and do very extravagant and unnecessary things. It would be hard to estimate the annual loss to the State from closing public schools on account of infectious diseases, but the loss is certainly greater than the amount of money paid in salaries to all the health officers in the State. It is an irrational and unnecessary practice, and would disappear if health officers were instructed in the more definite and less expensive methods of controlling transmissible diseases. This is but an illustration of a common sort of hygienic error.

Unwise and costly restrictions of personal liberty, disturbances of private business, sometimes of the peace and comfort of whole communities, add to the cost of inexpert sanitary government. The law never intended that preventive measures should cost as much or nearly as much, in time, or money, or discomfort, as the diseases against which they are directed,

Under the false idea that prevails, some boards of health exist only for the purpose of suppressing epidemics, whereas their true function is to prevent epidemics. This notion that boards of health are of merely occasional utility is also very expensive. Our experience included the history of one small epidemic costing a county over \$500, which beyond all doubt would never have occurred if the local board, actually in possession of exact and timely information, had spent the one dollar which the emergency called for. This is a very definite instance, but we know of others where one-tenth, one-fifteenth, or one-twentieth of the amount eventually spent, if applied at the right time and place, would have met every need of the situation.

All this waste grows out of ignorance, and much of it could be avoided if we could bring the weaker boards of health in Maryland up to the level of the best boards. To do this requires but little more than that the boards shall all be assembled once a year at one place for the purpose of learning their duties, exchanging their experience, and perfecting their methods. We propose for your Excellency's consideration an annual normal school for health officers. We have

tried to get the health officers together for these purposes at the meetings of the Maryland Public Health Association, but we find in general that only more advanced boards of health attend these meetings. The Maryland Public Health Association has had no influence whatever on the weaker local boards. The Maryland Public Health Association has, however, furnished to other States an idea which has been several times improved upon so that a few States now maintain annual conferences or schools for health officers which realize in a large measure the purposes which we have not accomplished in Maryland.

Having examined a number of these sanitary institutes, we believe that we can organize in Maryland a thoroughly practical plan for bringing the sanitary administration to a high average grade in efficiency. Our plan included the following features:

- 1st. An annual assembly of local health officers in the City of Baltimore to continue one week.
- 2d. Obligatory attendance of all local health officers; their actual and necessary expenses to be repaid by the State upon certification of actual attendance throughout the session.
- 3d. A minimum requirement of work from each and every man in attendance; not less than five hours out of six hours provided of lectures upon sanitation; not less than eight hours out of ten hours provided of free discussion on sanitary subjects; not less than five hours out of six hours provided of practical demonstration of sanitary operations; not less than five hours out of six hours provided of actual inspection of sanitary works.

We believe that if the local health officers of the State are put through such a week's exercise once a year, we shall not only raise the average efficiency of the local boards, but we shall remove the unpleasant and expensive features of restrictive procedures, and we shall create a popular demand for correct and methodical public health work.

Practically everything essential to the successful conduct of such an institute can be found in the State, and the entire expense would fall within an appropriation of \$2,000.

### A Brief History of Small-pox in 1903.

The small-pox which broke out in the South in 1898 and spread northward and westward until it became a general epidemic in 1900 has visited Maryland every year, but without inflicting any serious damage. The adjoining States have suffered each year more than Maryland has, and the general prevalence of the disease in Pennsylvania and Delaware brought us more serious invasions in 1903 than have occurred in any year since 1882. Our experience in 1903 is not, however, comparable with that of 1882, for we had not less than 200 cases in 1903, while in 1882 there were several thousand cases.

The year 1903 opened with an outbreak well under way in Worcester county.

Allegany county suffered several invasions of small-pox during the year, and an outbreak caused by the mistaken diagnosis of local physicians was for a short time rather alarming. Cumberland, Frostburg, Westernport, Pinto and Lonaconing were all included, and the whole number of cases amounted to (between January 1 and December 9) fifty. Nine deaths resulted.

Most of the outbreaks have been well handled by the local authorities. Washington county had one small outbreak during the year; Frederick county, one; Garrett county, two; Queen Anne, one; Caroline, one; Talbot, one; Baltimore county, two, one of which was very badly managed. Kent county had an outbreak in Chestertown which was quite threatening for a time, but was quickly subdued after the town and county anthorities had agreed upon a fair division of the pecuniary responsibility. Harford county had three outbreaks—one at Havre de Grace, one at Aberdeen, and one at Edgewood—all cut short with no damage. There were in all 115 cases up to December 10. Of these, eleven died.

We hoped at this time to be able to report in full upon the operations against small-pox which have gone on without intermission since 1890. But the disease at present prevails so extensively in every State adjoining Maryland that that subject is not yet ready for a final report. We summarize the history briefly by saying that in the past five years fifty-

seven outbreaks of small-pox have occurred outside of Baltimore, as follows: In Garrett county, three; in Allegany, twelve; in Frederick, two; in Washington, seven; in Howard, two; in Anne Arundel, one; in Montgomery, one; in Prince George, two; in Charles, one; in Kent, one; in Oneen Anne, two; in Caroline, two; in Talbot, two; in Dorchester, four; in Wicomico, two; in Somerset, one; in Worcester, three. all these fifty-seven outbreaks the source of infection has been traced to Baltimore but three times. The counties receiving their initial infection from Baltimore were: Wicomico, one case; Dorchester, one case; Baltimore county, one case. Baltimore city, on the other hand, traced three outbreaks to points within the State, twice in Baltimore county and once in Queen Anne. Other outbreaks traceable to Maryland sources are as follows: Allegany infected Washington county once, and Washington county infected Allegany. Prince George infected Anne Arundel once, Howard once, and Baltimore county once. Caroline, Queen Anne and Dorchester had a continuous outbreak along the Delaware line, and considered Delaware to be their common source of infection; but it is at least possible that the disease may have spread between Maryland counties. Three other outbreaks were traceable to sources within the same county. It is thus seen that of the fiftyseven distinctly recognized outbreaks forty-six had their source outside the State. A majority of the outbreaks did not extend beyond the house first infected, and eleven of the outbreaks were cut short at but one case of small-pox.

The several outbreaks of small-pox in 1903 are briefly described in their chronological order as follows:

### ALLEGANY COUNTY.

The year 1903 opened with an outbreak in Cumberland. This originated about December 8 from a railroad man. There were thirteen cases in the outbreak—all in two families—and but one case fatal, that of an unvaccinated infant one month old. The outbreak was over, patients and contacts released, and disinfection done by the 24th of February.

A small outbreak occurred in Frostburg in the last week of December, 1902, and was concluded late in January, 1903. There were four or five cases, all recovering.

In April, 1903, an outbreak occurred at Luke. There were nine cases, all in one house. There were nine persons in the house, and but one of them had ever been vaccinated. This one, who suffered a mild attack, thinks that he was vaccinated in 1864. Some of these cases could have been prevented by vaccination after the household was attacked. The history of this family contrasts most markedly with the history of the many invalid households in Cumberland, where vaccination of all the inmates was done immediately upon the discovery of the infection, and without regard to the interval since the date of the first case.

The Secretary visited Cumberland on Sunday, May 17, in response to a telegram from the Health Officer, Dr. J. M. Spear. A case of small-pox had run its course under the mistaken diagnosis of chicken-pox, but two later cases in the same house caused the physicians to become suspicious. In another house a saloon-keeper had been attacked with what appeared to be delirium tremens. Eruption appeared in three or four days, the case became hemorrhagic, and his disease was recognized as small-pox and reported as such a few hours before the man died. Six cases arose from the first error of diagnosis, and several from the second.

On May 26, the Secretary visited Cumberland again. Very exaggerated rumors were afloat about the extent of the small-pox infection. There were said to be hundreds of cases in the town. The town was panic-stricken, and the neighboring towns were in a state of alarm. There were, in fact, fourteen cases in the Emergency Hospital, and the only other case then present in Cumberland was removed to the Emergency Hospital on the afternoon of May 26, making a total of fifteen cases. There was, however, another unpleasant surprise in preparation. A young man in the Western Maryland Hospital had developed small-pox about two weeks before this date, and immediately on his removal to the Emergency Hospital the Western Maryland Hospital had been closed.

Among the patients returned to their homes in Cumberland in closing the hospital was a young man convalescent from typhoid fever. This young man continued to mend for sixteen days after leaving the hospital, when he developed new symptoms. The significance of the symptoms was overlooked, and on May 31 a prayer-meeting was held by his bedside, several persons being present. On the following day the young man's illness was clearly recognized as small-pox, and was so reported. On that day he died.

Vaccination was very actively pushed in Cumberland, and the cases reported were very promptly isolated in the Emergency Hospital. The houses were also promptly and thoroughly fumigated by the Health Officer, Dr. Spear. The isolation of contacts was not, however, strict enough to please the frightened people. Such rigid procedures as the people appeared to demand would have been unreasonably severe and would in fact have fostered the epidemic by leading to evasion and concealment. It appeared, however, that the information about exposed persons was in some cases quite incomplete, and the number of persons under surveillance much less than the number of those exposed. The authorities were, however, doing their very best. They were not excited nor intimidated by the harsh criticisms. Dr. H. S. Wailes was engaged to take exclusive charge of the contacts and exposed persons, and to report to the State Board of Health daily upon their condition. He was furnished with a list of the names of all persons living in each house where small-pox occurred, and of the names and addresses of all persons known to have been in contact with a case of small-pox within a period of eighteen days. Of such persons all those who were of good character and engaged in gainful occupations were allowed to give their parole to remain in town and to report at a given hour daily for inspection. They were all vaccinated, and their vaccinations were inspected daily. By this means it was promised that with the continuance of good management by the local board of health the outbreak could be terminated within two periods of incubation of forty-two days.

The last report to the State Board of Health was in fact made, and the last lot of contacts freed from medical observation on the fortieth day. The people of Cumberland exhibited unusual good sense in respect to the freedom of movement allowed to the exposed persons. Almost all those who had regular employment were allowed by their employers to continue at work. No suspicion arose that any of

the contacts conveyed the disease to other citizens. The last forty days of this serious outbreak of small-pox must indeed have been an impressive object lesson in the suppression of small-pox without the employment of very rigorous or burdensome measures. Samples of the blanks used in reporting these inspections are appended:

densome measures. Samp these inspections are appe	oles of		ınks use	ed in rep	oorting
SI	MALL	-POX.			
	Date	e		•••••	1903.
FIR	ST R	EPORT.			
To the State Board of H	EALTI	<b>1</b> :			
Full Name of	Housel	holder			
A	ddress				
Name of person attacked	••••	,		Color	••• •••••
AgeSource of inf	ection	?	· · · · · · · · · · · · · · · · · · ·	•••••	•••
Ever vaccinated?Scar	visible	?R	emoved	to hospi	al
NAMES OF OTE	HER IN	MATES	of Hous	E.	
,	Age?	Pre- viously vac- cinated?	Quar- antined	Paroled	Wage earner?
••••••					
•••••••••••••••••••••••••••••••••••••••					
•••••					1
How many contacts outside		ouse?			••••
/0:	/hores				

(Address).....

#### RULES.

Strict quarantine, under guard, till after disinfection.

Disinfection as soon as possible after removal of patient.

Vaccination and revaccination of all contacts; repeated if not successful.

Parole may be granted to trustworthy persons newly vaccinated, having clean clothes, living in non-infected or disinfected houses, and promising to be present at daily medical inspection.

Persons violating parole to be strictly quarantined.

Daily inspection of all contacts, whether inmates of the house or not.

Period of observation twenty days from date of last exposure.

### SECOND REPORT TO THE STATE BOARD OF HEALTH, SMALL-POX INSPECTION.

	_
	Date 1903.
Address	Name
Persons under observation?	
Present at inspection?	Vaccinations taking?
Revaccinated?	Found sick?
Absent?	Sent to hospital?
(Signed)	
(A	address)

### FINAL REPORT ON SMALL-POX.

<u>-</u>			
Names of Those Attacked?	Age?	Vaccinated?	Recovered or Died?
			_
		***************************************	***************************************
***************************************	******	***************************************	•••••
		******************************	***************************************

Names of Those Who Escaped.				
		•••••	• • • • • • • • • • • • • • • • • • • •	 ••••
				 •
***************************************				
Date				 M.D

There were 78 cases in Allegany county during the year, counting ten persons whose attacks began in December, 1902. Of these, 72 were whites and 6 were colored. There were 44 males and 34 females. The deaths were 8, a fatality of 10.25 per cent. Fifty-nine cases occurred at Cumberland, three at Vale Summit, one at Pekin, one at Carlos, five at Frostburg, nine at Luke.

The advantage of vaccination after exposure was several times shown in the course of this outbreak. There were four persons in the Higgins household. One unvaccinated man was attacked. The three others were vaccinated after the exposure and all escaped. In the Stephens' house four persons were vaccinated after exposure, three escaped and one was attacked. In the Bullitt house six persons were vaccinated after exposure, one was attacked, five escaped. At the McNabb house, after two cases occurred, five remaining inmates were vaccinated and all escaped. Two persons in the house with Miller were vaccinated after exposure and both escaped. There were three cases in the Reed house, all occurring within three days and all in unvaccinated persons. The five remaining inmates of the house were vaccinated after exposure and all escaped. Six persons in the

Thomas house were vaccinated after exposure and all escaped. In the Gorman house nine persons were exposed. Three were not vaccinated and all three were attacked. Six were vaccinated and all escaped.

Five persons exposed to the Kight case were vaccinated after exposure and all escaped. Five persons exposed in the house of the Dulin case were vaccinated after exposure and all escaped. In the house of the Wise case were six people; all vaccinated after exposure and all escaping attack. In the house of the Everett case were two persons vaccinated after exposure and escaping attack. The Rushton house had five other persons; all vaccinated after exposure and all escaping attack.

The Martin case exposed four other persons; all vaccinated after exposure and all escaping attack. The Hill case exposed five other persons; all vaccinated after exposure and all escaping attack. The Clune cases occurred in a hotel, occupied by more than forty persons, not all of whom can be considered as equally exposed. There were four cases at the house between May 3 and May 30, when James Clune died. After his death thirty-eight persons in the hotel were vaccinated and all escaped attack.

Ten persons were exposed in the house with the Rank case; all vaccinated after exposure; all escaped. To the Feely case two were exposed; both vaccinated; both escaped. To the Rippie case five were exposed; all vaccinated; all escaped. To the Ray case about twenty persons were exposed; twenty vaccinated after exposure, and twenty escaped attack. In the house of the Blough boy were five other persons; all vaccinated after exposure; all escaped.

The Young case died on May 29, after four days' sickness. There was one other case in the house at the time, and twenty-three other persons besides. These twenty-three were all vaccinated after exposure and all escaped.

It must be remembered in considering this history that, besides vaccination after exposure, a majority of those exposed had also the advantage of prompt removal of the sick to the hospital, and disinfection of the house within a few hours thereafter. The record does not state how many of these

contacts had been vaccinated in previous years. The advantages of vaccination and revaccination after exposure are, nevertheless, very well demonstrated by the history.

One of these seventy-eight cases is most remarkable in that it occurred in the person of a trained nurse at the hospital. She had, of course, been vaccinated, though not successfully, since several years. Her attack was so mild that it would almost certainly have escaped diagnosis if it had occurred at another time and place. Small-pox in a trained nurse is of such exceeding rarity that every case observed should be recorded.

Perhaps a comment should be made on the closing of the Western Maryland Hospital after a case of small-pox occurred there. It may have been impracticable to detain the other patients in the hospital, and the responsibility for distribution of exposed persons to various parts of the city may not rest wholly on the hospital authorities. It was, however, an unwise step. The patients would have been quite as safe in the hospital as in their homes, perhaps safer, and public safety would have been better defended.

An account of a similar mistake made in Montreal is given in the article on small-pox in Osler's Practice of Medicine. The distinguished author describes events of which he had personal knowledge.

"On February 28, 1885, a Pullman-car conductor, who had travelled from Chicago, where the disease had been slightly prevalent, was admitted into the Hotel-Dieu, the civic small-pox hospital being at the time closed. Isolation was not carried out, and on April 1 a servant in the hospital died of small-pox.

"Following her decease, with a negligence absolutely criminal, the authorities of the hospital dismissed all patients, presenting no symptoms of contagion, who could go home. The disease spread like fire in dry grass, and within nine months there died in the city, of small-pox, 3,164 persons."

### BALTIMORE COUNTY.

A single case of small-pox was present in Baltimore county in January, 1903. This was a young man who probably got his infection in Baltimore. It was an extremely

severe case, but he eventually recovered. The Sanitary Officer, Dr. Gorsuch, was able to protect both the community and the household, by means of vaccination, isolation and disinfection. No other case occurred.

An outbreak at a construction camp near Hombergville, in the Twelfth Election District, beginning early in April furnished an example of extremely bad management. The first case recognized was transferred to the Baltimore City Quarantine Hospital. The Health Officer in charge, Dr. Schofield, undertook to quarantine the men in the camp and to vaccinate them. He omitted, however, to count the men, and never knew how many were under his care. His quarantine, operated with the aid of the Baltimore county police, was ineffective, and an unknown number of men escaped. Fourteen days from the removal of the first case, Dr. Schofield lifted his quarantine. He was unable to report the number or the names either of those who left or those who remained in the camp on this date.

Among those who remained, small-pox broke out on the day following the release of quarantine. At a visit to the camp, Dr. Robins, Medical Assistant to the State Board of Health, found no successful vaccinations, while some unvaccinated persons then present in the camp said that they had not been offered vaccination. Quarantine was renewed. Two weeks later the quarantine was again released, and again the release was followed immediately by a fresh outbreak of small-pox in the camp. Again the vaccinations were found to have been ineffective, and no account was rendered of the number or names of the men under observation.

After each of these blunders protest was made to the County Commissioners against the very bad management of the outbreak. At the May meeting of the State Board of Health the Secretary was instructed to record and to transmit to the County Commissioners for Baltimore county "a minute expressing the judgment of the Board that the management of the recent outbreak of small-pox at Hombergville was so far ineffective as to endanger neighboring jurisdictions and to impair the credit of the local sanitary administration." The same incompetent sanitary officer was, however, reappointed in May for another term.

This outbreak included 17 cases.

On May 11 a mild case of variola was discovered in a colored boy living on Greenspring avenue, near Mt. Washington. The source of his infection was never made out. About three weeks earlier a colored man from that vicinity went to the dispensary of the City Hospital where he was found to be suffering with small-pox. He was removed to the City Quarantine Hospital. Perhaps he furnished the infection to the latter case. Vaccination was done in the neighborhood of the infected house and no more cases occurred.

### GARRETT COUNTY.

An outbreak at Gorman began on January 31, and involved four persons all in one house. Of these four persons all were vaccinated on the date of appearance of the disease. One, a child of ten, was vaccinated on February 8th, nine days after exposure and eight days before his very mild attack of the disease was recognized. All these cases were mild, and all resulted in recovery.

Gorman is on the border line of West Virginia. On June 17, Dr. W. H. Ravenscroft, Health Officer for Garrett county, reported a case of small-pox near the West Virginia border. No further spread occurred in Maryland.

The next outbreak of small-pox in Garrett county was a serious one. It began about October 28, when a colored man named Clark was attacked in Oakland. He had been infected in Pittsburg. He had never been vaccinated. There were seven persons in this household, and but one of them had been vaccinated at the time of the outbreak. This person was the only one of the seven who escaped attack. One member of the Clark family was vaccinated after the outbreak occurred, but too late to avoid a mild attack.

A white family named Dewitt was next attacked on November 30. The first person attacked was a child aged 21 months, who died on December 6. The mother of this child died of hemorrhagic small-pox on December 16. Of the four persons in this house none had ever been vaccinated up to December 10, four days after the death of the infant and six days before the death of the mother. On December

to the two remaining inmates of the house were vaccinated for the first time. One was attacked four days later and the other five days later; both attacks being mild.

The Dewitt family infected eight other persons in Oakland. Of these eight persons seven had never been vaccinated, and one claimed to have been vaccinated seventeen years previously, but had no scar. A young man aged 28, never vaccinated, died on December 23 of hemorrhagic small-pox. These eight cases were in four separate houses, and besides those attacked the houses sheltered seventeen persons who escaped attack. Of these seventeen who escaped attack all were vaccinated.

One other case occurred in Oakland in 1903, a white lady aged 38, who had been vaccinated in infancy, and had a faint scar. Her attack, beginning December 20, was exceedingly mild. The only other inmate of the house was vaccinated and escaped attack.

There was an interval of several weeks after this case before small-pox appeared again in Oakland, but a more serious outbreak occurred in 1904, and will be reported upon later.

A small outbreak at Sunnyside was attributed to infection from Oakland. It began on December 18 when a white man aged 27, never vaccinated, was attacked by confluent small-pox. There were seven other persons in this house, making eight in all. Of these eight, four were attacked. Of the four, two were unvaccinated, and two had been vaccinated. All recovered. Of the four who escaped attack, all had been vaccinated.

### FREDERICK COUNTY.

But one case was reported in Frederick county during the year, that of a white man, said to have been vaccinated about seventeen years previously, who was infected in Philadelphia, and had a mild attack, beginning about August 4.

### HARFORD COUNTY.

Two cases of small-pox occurred near Belair in January, both in one house. They were promptly and effectively handled by the local board of health. No other spread occurred.

Late in January, 1903, small-pox appeared in a construction camp on the Maryland and Pennsylvania Railroad, near Belair. The origin of the infection is unknown. A colored man, having an eruption, left the camp with several companions and came to Baltimore. This information was transmitted to the State Board of Health by Dr. F. P. Smithson, Health Officer of Harford county, and by the State Board of Health to Dr. Bosley, Health Commissioner for Baltimore city. The names of the men were obtained later, and all were apprehended in Baltimore within a week. Three of them had small-pox and were sent to Quarantine Hospital. There was no further spread from this source.

About February I a white man, a travelling salesman, employed by the Wheeler & Wilson Sewing Machine Company, having headquarters in Camden, N. J., came to his home at Aberdeen, where he had an eruptive disease which was supposed to be chicken-pox. About two weeks later two other members of the same family were attacked with a similar, but severer eruption. They were not, however, very sick, and all recovered promptly.

On March 10 the Secretary of the State Board of Health was called by Dr. J. H. Kennedy, Health Officer of Aberdeen, to see a suspicious case, which probably belonged to the same series with that of the sewing machine agent. This patient, a colored woman, had a pronounced case of small-pox from which she recovered.

On the following day, March 11, the Secretary was called to Havre de Grace to see a suspicious case in the practice of Dr. R. H. Smith. The patient was a young white man, a hardware dealer, who about two months previously had visited the home of the sewing machine agent at Aberdeen on business.

The Havre de Grace merchant had a mild but unmistakable attack of small-pox. The Health Officer, Dr. J. Lee Hopkins, and the Mayor, Mr. Pusey, made immediate arrangements for the removal of the sick man to a temporary hospital outside of the town, and for the disinfecting of the store and dwelling.

Mr. B.'s wife and infant child were vaccinated at once. The baby developed a very mild attack. Both recovered.

Two houses at Cole postoffice were invaded in March, 1903. One of the patients was a man aged 75, who had the scar of a successful vaccination done in 1878. There were two other persons in the house, both vaccinated and both escaping attack.

The other case was one of confluent small-pox in a white boy, aged 16, who had never been vaccinated. There were three other persons in the house, all vaccinated and all escaping attack.

In July, 1903, a case occurred at Edgewood, the subject being a white boy, aged 14, who had a vaccination scar and had a mild attack. There were four other persons in this house. Two of them had small-pox many years ago. The other two were vaccinated after exposure, and all four escaped attack.

### KENT COUNTY.

On January 18, 1903, a case of small-pox was discovered at Chestertown in the person of a colored child, who had been brought by her mother from Washington with the eruption then in progress. Kent county was without a health officer at the time, the office having been vacated sometime before by the removal of Dr. Urie to Baltimore. In the ignorant belief that a health officer is a merely ornamental functionary, the County Commissioners had failed to fill the vacancy.

The town commissioners sent the information to the State Board of Health. The Secretary being at the time away on official business, the Chestertown Commissioners asked Dr. C. Hampson Jones to visit the place.

The County Commissioners appointed Dr. Wm. R. Messick, Health Officer for the county, but took no other step of any sort to control the disease, holding that the burden of responsibility should rest on the authorities of Chestertown.

The Town Council had already built a detention camp and hospital when the Secretary visited the place on February 9. No general vaccination had been done or ordered, and, of course, the infection had spread. The County Commissioners were advised that they would be held to an undivided responsibility for the control of the situation, and were shown that the whole financial responsibility was also theirs.

The Town Council was at the same time advised that it would cost them a good deal to stand uncompromisingly on the letter of the law so far as their pecuniary responsibility was concerned, and that the controversy with the County Commissioners had already involved both parties in expense two or three times as great as the situation justified. The Town Council realized this, and agreed to pay half the cost. The County Board of Health gave, however, a most reluctant acceptance of their lawful duty.

On February 10 they met as a Board of Health and appropriated a sum of \$750 to cover the expenses for forty days from that date, provided that in the meantime a decision of the court should declare the Town Council of Chestertown not responsible for the expenses.

This action of the Commissioners having been reported to the State Board of Health, the county authorities were informed that their action was unsatisfactory to the State Board of Health, and that without the intervention of a court their responsibility, both for time and money, would end only with the complete suppression of small-pox.

The controversy between the Town Council and the County Commissioners at least doubled the cost of the outbreak.

It included in all eight cases, all colored, all ending in recovery. The outbreak covered nearly eleven weeks. With good management there should have been only three cases, and the entire period of expense should have been about six weeks.

### TALBOT COUNTY.

On December 8, 1903, a colored glassblower, but a few days previously arrived from Philadelphia, was attacked with small-pox in Easton. The case was removed to an isolated house just outside the corporation limits. The two persons living in the Easton house escaped attack. One of them was vaccinated, the record being silent as to the other.

A visitor to this house was attacked about December 28. He had been vaccinated for the first time on December 19, nine days before his attack. There were four other persons in this second house, all vaccinated and all escaping attack.

A colored boy of 12 years, living near Easton, was also infected from the Philadelphia case, and was attacked on De-

cember 21. It is unknown whether he had ever been vaccinated, but of the five other persons in the house none had ever been vaccinated. These five persons were, however, all vaccinated after the infection appeared in the house, all with success and all escaping attack.

### WASHINGTON COUNTY.

The town of Williamsport suffered a considerable outbreak of small-pox in 1902, and profited well by that experience. In March, 1903, a case came into Williamsport from Central Pennsylvania, but was recognized so promptly and handled so effectively that there was no spread beyond the house first infected.

### WICOMICO COUNTY.

On June 11 Dr. Charles R. Truitt, Health Officer for Wicomico county, reported a case of small-pox in a young white man, who contracted his disease in Pennsylvania. Two other cases in the same house concluded this outbreak.

### WORCESTER COUNTY.

The year 1903 opened with an outbreak of small-pox in progress in Worcester county. The outbreak arose from the case of a negro who came to Snow Hill from a neighboring State, and passed through a mild attack without any medical attention, and, perhaps, without any suspicion that he had small-pox. He left Snow Hill immediately upon his recovery. Of those who were in contact with this man the first to be attacked was a colored man, aged about sixty, who had never been vaccinated.

The local physicians, being, as most Maryland physicians are at present, unfamiliar with small-pox did not agree upon the diagnosis. They made some photographs of the case, which they sent to the State Board of Health without any history or opinion of the case. The diagnosis of small-pox was made and telegraphed to Snow Hill.

The Secretary visited the town at once, November 29, 1902, and obtained the history which has just been given. Two other cases were seen, one of them an anomalous case, having a very sparse eruption and quite unlike the usual variolous eruption. There were, however, close patches of eruption in

each popliteal space. The diagnosis would not have been made but for the association of a little girl with a young man in another family, who had an unmistakable attack of small-pox. The little girl's father was also attacked about a week later. The three cases last named were whites.

The Secretary also saw at Stockton a white man who had a very severe case of small-pox. He had been at Snow Hill during court week, and returning to his hotel very late one night found himself locked out. He spent the remainder of the night at a restaurant, where the first case was at that time convalescent.

The County Board of Health, as soon as their attention was called to the situation, moved promptly and vigorously. They speedily constructed a detention camp and hospital without the town limits of Snow Hill, and engaged a physician from Philadelphia to take charge. They also ordered a general vaccination.

The town authorities of Berlin, thirteen miles north of Snow Hill, on the Delaware, Maryland and Virginia Railroad, took an unwise step, which has fortunately been rarely taken in Maryland. They quarantined against both Snow Hill and Stockton. It was an idle as well as a barbarous precaution, for an unvaccinated white child in Berlin was attacked by small-pox, the source of her infection having been in all probability another child from Stockton, who spent an hour or so in her company at the depot while waiting for the westbound train on the Baltimore, Chesapeake and Atlantic Railroad. The vaccination of this child at a cost of 50 cents would have saved the authorities of Berlin the cost of quarantine and the cost of small-pox as well.

There are said to have been about 100 cases in the Worcester county outbreak. This is the estimate of the Health Officer, Dr. Charles P. Jones, but it is probably too high. Particulars concerning every case should have been forwarded to the State Board of Health, and those who had charge of them made such returns for 51 cases in all. Almost certainly these 51 are a large majority of the cases.

An interesting circumstance connected with this outbreak was that a majority of the cases were whites. The colored population of Worcester county is proportionately large.

Two white children of school-going age were attacked in Berlin. In the whole list of 51 cases 14 were in children of school-going age, and 12 of these were enrolled as attending school and 9 of these were white. All of them were unvaccinated. This seemed to justify our laying a large share of the responsibility for the spread of small-pox upon the School Board of Worcester county. Naturally the School Board did not approve of this suggestion. They admitted, however, that it is difficult to enforce the vaccination law. It was freely said in public that it is quite easy to get an ineffective vaccination done and to get a certificate of precisely the same form as that given for a genuine vaccination. White children, it was said, are not unusually certified to be vaccinated after inoculations which are intended to be and are ineffective. A physician in Berlin is said to have sold a substance which, when taken into the stomach, affords an immunity like that of vaccination. This physician is also known to be an anti-vaccinationist, although he was for a time the vaccine physician for his district, and a good many school children are provided with his certificate. Colored children are vaccinated properly, and this explains the heavier incidence of small-pox in this outbreak upon the whites.

The teachers who had these unvaccinated children enrolled were all asked to explain their unprotected condition. It did not appear that the teachers were wilfully negligent. Only one of them was unable to present certificates. This teacher had been but a few weeks in charge of the school, and the children attacked were enrolled before she took charge. In another school three children of one family had small-pox. They had certificates, but had never in fact been vaccinated.

The Worcester county outbreak came to an end about the 5th of March.

JOHN S. FULTON, Secretary.

### Report of the Bacteriologist.

January 13, 1904.

DR. JOHN S. FULTON,

Secretary of the State Board of Health.

DEAR SIR: I hereby respectfully submit my report on the work performed in the Bacteriological Laboratory from December 11, 1901, to January 13, 1903.

## Examinations for Physician's for the Detection of Disease.

TABLE No. 1.

Examinations of blood for the typhoid reaction: Positive reactions, 271; negative reactions, 249; suspicious reactions, 25; unsatisfactory, 3. Total, 548.

Examinations of sputum for tuberculosis: Tubercle bacilli present, 141; tubercle bacilli not present, 285; suspicious, 1; unsatisfactory, 4. Total, 431.

Examinations of suspected diphtheria: Positive cases, 145; negative cases, 308; suspicious cases, 1; unsatisfactory, 1. Total, 455.

Examinations of blood for suspected malaria: Positive cases, 2; negative cases, 165; unsatisfactory, 6. Total, 173.

Examinations of drinking water, 162.

Examinations of milk, 4.

Examinations of food, 17.

Examinations for rabies, 1.

Total number of examinations for physicians, 1,390.

# Gross and Microscopic Examination of Diseased Food Products.

A number of specimens have been brought to the laboratory by the Food Inspector for examination, and the following table shows the results of the gross and microscopic examinations. These specimens were mainly obtained from the Union Abattoir, receiving about 5,000 cattle weekly.

Human beings can contract such diseases as tuberculosis, actinomycosis (lump-jaw), tape-worm, hydatid disease, and trichinosis from diseased animals used as food, and the examinations were made to detect the presence of such diseases.

Table No. 2 shows the result of these examinations in detail.

#### TABLE No. 2.

rescess formation	4
Diseased skin (hog cholera)	4
Tuberculosis	6
Actinomycosis	
Sarcoma of lung	I
Infection with B. bovisepticus	
Milk. Garget and streptococcus infection	
Miscellaneous	
	_
Total	28

Table No. 3 will show the examination of wells and public water supplies which have been made during the past year.

TABLE No. 3.-TABULAR REPORT OF WATER EXAMINATIONS.

TAP STREAM. WELL OR SPRING.	Date.	Colonies	Colonies Per c.c.	Colon Bacillus.	Quality.
		Aerobic.	Anaerobic.		
E E		Tiensta	•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5000
Marshall's spring, Brookville	Dec. 12	Liquened	500		Bad
Howard's pump, properties	Dec 12	Linnefied	142		Suspicions
Willer's pump, blook vine	Dec. 12	Liquefied	3,5		Bad
Howard's Store pump. Brookville.	Dec. 12	Liquefied	5 K	ç.c.	Good
Howard House W. M. pump, Brookville	Dec. 12	Liquefied	50 67	Present in I and 50 c.c.	Bad
Dr. Green's well, Brookville	Dec. 12	Liquefied	100	Present in I c.c.	Bad
Md. Agricultural College (from tank)	Dec. 20	780	125	None in I or 50 c.c.	Fair
Md Agricultural College-above intake	Dec. 20	2460	320	Present in 50 c.c.	Bad
Md. Agricultural College-intake	Dec. 20	1440	103	Present in I c.c.	Bad
Md. Ag. College, No. 2, drinking trough	Dec. 31	91	0	Present in 50 c.c.	Bad
Md. Agricultural College, No 3, well	Dec. 31	238	38	None in I or 50 c.c.	Good
Colletan's well, Baltimore County	Jan. 6	5100	2400	Present in 50 c.c.	Bad
Wood's well, Baltimore County	Jan. 6	45	0	None in I or 50 c.c.	Good
Parsley's pump (store), Baltimore County	Jan. 6	930	0	Present in 50 c.c.	Bad
Weer's spring, Baltimore County	Jan. 6	9/	8	Present in 50 c.c.	Bad
Public pump, Lutherville	Jan. 6	950	20	Present in 50 c.c.	Bad
Whiteside's pump, Baltimore County	Jan. 6	520	75	Present in 50 c.c.	Bad
Francis S. Kemp, Harrisonville	Jan. 22	200000	0	Present in 50 c.c.	Bad
Tohn A. Clopper, Rohrersville, well	Jan. 22	S	0	Present in 50 c.c.	Bad
Robert McCov, Rohrersville	Jan. 22	150	125	Present in 50 c.c.	Bad
M. Gouff, Rohrersville	Jan. 22	672	113	Present in 50 c.c.	Bad
C. D. Baker, Rohrersville.	Jan. 22	120	47	Present in 50 c.c.	Bad
Scott Mullendore, Rohrersville	Jan. 22	5220	290	None in I or 50 c.c.	Bad-
					Too many bacteria
Jacob Buck, Rohrersville Jan.	Jan. 22	3200	120	Present in 50 c.c.	Bad

TABLE No. 3-Continued.

Quality.		Bad
Colon Bacillus.		Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. Present in 1 or 50 c.c. Present in 1 or 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c. None in 1 or 50 c.c. Present in 50 c.c.
Colonies Per c.c.	Anaerobic.	25.5 13.2 13.8
Colonies	Aerobic.	186 2040 2040 2040 2088 2088 474 474 474 486 474 888 330 106 69 1446 330 106 106 106 106 106 106 106 106 106 10
Date.		Jan. 22 Feb. 13 Feb. 14 Feb. 15 Feb. 1
Tap, Stream, Well or Spring.		E. D. Miller, Rohrersville, well John Smith, Rohrersville, well Silas Norris, Rohrersville Martin T. Rohrer, Rohrersville John A. B. Potter, Rohrersville David Barkman, Rohrersville Millard Haynes, Rohrersville Millard Haynes, Rohrersville Feb. D. A Rohrer, Trego, well Mrs. Maria Mullendore, Trego, well Feb. Dau. Easton, Rohrersville, well John F. Stine, Rohrersville, well Feb. Salon, Rohrersville, well Feb. Valley street well, Cumberland Kornhoff's well, Cumberland Kornhoff's well, Cumberland Feb. Russell Clopper, Rohrersville, well Feb. Russell Clopper, Rohrersville, sistern Mar. Samuel Stine, Trego, spring Mar. Bera J. Long, Rohrersville, cistern Mar. Depot well, Elkton Mar. Mrs. A. M. Hilaman, Iron Hill Mar.

Good Good Fair Bad-	Bad	Bad	Good	Good	Bad	Good	ָּם ,	Good	Bad	ld.	[पु	.d	Very bad	-p'	Too many bacteria	Good	Good	Good	Bad—	Too many bacteria	0000	Good	Fair
None in 1 or 50 c.c. Go None in 1 or 50 c.c. Fr None in 1 or 50 c.c. Fr None in 1 or 50 c.c. Ba					.c.		.c.c.	None in 1 or 50 c.c.			Present in I or 50 c.c. Bad			None in I or 50 c c. Ba					None in I or 50 c.c. Ba	i di			
150 18 540	н (	<b>o</b>	35	0 4	72	I		Liquefied	Liquefied.	Liquefied	Liquefied.	1572	009	428		0	50	0	450	(	73	0	0
70 528 660 11280	474	320	364	. 22	1800	120	13320	Liquefied	Liquefied	Liquefied.	L'iduefied	4590	8484	6380		150	. 500	59	0009	000	330	3	585
26 26 26 21	5 20	3 3	20 20	12	14	14	н	စ္ လူ	81	18			22	н		6	6	6	6	(	12	91	91
Mar. Mar. April April	May	May	May	May	July	[u]y	Hug.	Aug.	Aug.	Aug.	Ang.	Aug.	Jug.	sep.	,	Sep.	Sep.	Sep.	Sep.	9	Sep.	Sep.	sep.
Mt. St. Agnes, Mt. Washington, spring	'ater Co., intake	Havre de Grace, one mile above P., W. &	B. K. K. Druge	Gernaud's well, No. 2, Mt. Washington	Heyser spring, Hagerstown, trough	Heyser spring, Hagerstown, pipe	Guilford village well	I. C. Baldwin, M. D	Jas. & Wni. K. Bartlett, Faston, No. 2	Jas. & Win K. Bartlett, Faston, No. 3 Aug.	Citizens' Water Company	Robert McLane, well	Robert McLane, ice	Brown's well. Sent in by Dr. Stiers		Stiers, Magnolia, No. 1	Stiers, Magnolia, No. 2	Dr. Stiers, Magnolia, No. 3	Dr. Stiers, Magnolia, No. 4	Dr. Ctions, Magnolia No.	Cogswell's well Govanstown	Baltimore co	Riverview Park, Baltimore county Sep.

TABLE No. 3-Continued.

Quality.		Good	Too many bacteria	Bad-	Too many bacteria	G00d	Bad	Fair	Good	Fair	Bad		Bad-	Too many bacteria	Good	Fair	Bad	Good	Good			Bad	Bad-	Too many bacteria Bad
Colon Bacillus.		None in 1 or 50 c.c.	None in I or 50 c.c.	None in 1 or 50 c c.		None in I or 50 c.c.	Present in 50 c.c.	None in I or 50 c.c.	None in I or 50 c.c.	None in I or 50 c.c.	Present in 50 c.c.	Present in I and 50 c.c.	None in 1 or 50 c.c.		None in 1 or 50 c.c.	None in I or 50 c.c.	Present in I c.c.	None in one or 50 c.c.	None in 1 or 50 c.c.	Present in I c.c.	Present in I and 50 c.c.	Present in 50 c.c.	None in one or 50 c.c.	Present in 1 c.c.
Colonies Per c.c.	Anaerobic.	0	ις.	304	1	2	87	840	. ~	, 00I	4	14	0		0	4	28	180	0	0	100	20	4500	OI
Colonies	Aerobic.	I3	5400	0009	q	48	352	1260	0	840	18	120	10000		336	1000	800	200	144	ις	2000	3000	10000	2000
Date.		Sep. 16	Sep. 16	Sep. 16			Sep. 16				Sep. 21	Sep. 24.	Sep. 24		Sep. 29				Oct. 7	Oct. 7		Oct. 15		Oct. 20
TAP, STREAM, WELL OR SPRING.			No. 2, Dr. Bennum, Girdletree	Mrs. Carroll, Warwick			David Thornton Warwick					:				:	Jacob Dallam, Perryman, well	Galloway, ice pond	Fhilbin's well, Galloway	Cheston well, Galloway				Rudiger, collected by Dr. Robins Oct.

	Bad Good	Bad	Bad	Fair	Good	Fair	Fair	Bad	Bad	Good	Fair	Bad	Fair	Bad	Fair	Good	Bad	Bad	Bad	Fair	Bad-	Too many bacteria	Good	Good	Good	1	Bad	Mo encounan cant	no specimen semi Bad	Bad	Bad
	ڹ	.:											.o.o.					50 c.c.		٠.			None in I or 50 c.c.	None in 1 or 50 c.c.	None in I or 50 c.c.		Present in 50 c.c.		Present in I and 50 c.c.		
_	099	2400	1560	200	×	220	0	124	74	1320	480	24	84	156	240	48	360	009	500	001	9		36	S	5		12		240	OI	H
	5000	1500	2100	2910	240	5400	0009	4800	870	1500	0009	1872	096	756	758	420	5100	4200	9	0009	6120		212	88	7		2400		420	IO	312
,	25	56	29	200	28	28	28	3	3	3	3	3	, ro	'n	S	2	II	II	II	II	14		14	- 8	- 81 - 81		81	Q.		18 81	
	Oct.	Oct.	Oct.	oct.	Oct.	Oct	Oct.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.	Nov.		Nov.	Nov.	Nov.		Nov.	No.		Nov.	Nov.
Rudiger, store at station, collected by Dr.			ď	:	:		:				•		Water Department, No. 10		•						Samuel C. Trippe, M.D., No. r		No. 2	Daniel B. Sprecher, M D., No. 1		Daniel B. Sprecher, M.D., Sykesville, No.	:	M.D., abandoned well,		Daniel B. Sprecher, M.D., No. 6, spring	

TABLE No. 3-Continued.

	The same of the sa				
TAP, STREAM, WELL OR SPRING.	Date.	Colonies	Colonies Per c.c.	Colon Bacillus.	Ouality.
		Aerobic.	Anaerobic.		
Doniel B Commence M D No 8 and	9				
Daniel D. Sprecher, M.D., No. 6, etros No. 10	. TO	1350	04	Present in I c.c.	Bad
Daniel D. Opicenel, M.D., No. 9, Sulcam	١٨٠ ١٥	3220	011	None in I or 50 c.c.	Bad—
Doniel D Conceptor M D No to continue M.					Too many bacteria
Daniel D. Sprecher, M.D., No. 10, Spring Nov.	V. IS	0240	7	Present in I and 50 c.c.	Very bad
James Bordley, M.D., No. 1, Well		150	0	None in I or 50 c.c.	Good
James Bordley, M.D., No. 2, well		300	0	None in 1 or 50 c.c.	Good
H. F. Nichols, M.D., Hurlock, wellDec.		294	2 .	None in I or 50 c.c.	Good
G. M. Stump, M.D., Perryville, well Dec.	c. 17	21200	0	None in 1 or 50 c.c.	Bad-
				,	Too many bacteria
Dr. F. P. Smithson, Forest Hill, No. 1, well De	c. 22	120	09	None in I or 50 c.c.	Good
Dr. F. P. Smithson, Forest Hill, No. 2, well De	C. 22	204	81	None in 1 or 50 c.c.	Good
Dr. F. P. Smithson, Forest Hill, No 3, well Dec.	c. 22	78	0	None in 1 or 50 c c.	Good
Dr. R. B. Farquhar, Rockville, No. 1, spring Jan.		344	0	None in I or 50 c.c.	Good
Dr. R. B. Farquhar, Rockville, No. 2, spring Jan.	1. 9	00	0	None in I or 50 c.c.	Good
Irwin Buffert, Powhatan P. O., well		2000	009	None in I or 50 c c.	Suspicious-
					Too many bacteria
St. Thomas' Rectory, No. 1, Owings Mills., Mar.	ır. 31	25	I	None in I or 50 c c.	Good
St. Thomas' Rectory, No. 2, Owings Mills. Mar.	ır. 31	21	0	None in 1 or 50 c.c.	Good
Mrs John McClauahan, Port Deposit, spring April	ril 21	I	0	None in I or 50 c.c.	Good
E. J. Khinehart, Port Deposit, spring April 21	ril 21	270	14	None in 1 or 50 c.c.	Good
Town Water, Port Deposit, reservoir Ap	ril 21	200	s s	Present in I and 50 c.c.	Bad
Peter Hamilton, Laurel, well Ap	ril 27	300	S	Present in I and 50 c.c.	Bad
Mrs. J. M. McClanahan, Port Deposit, spring April		OI	2	None in I or 50 c.c.	Good
Mr. Khinehart, Port Deposit, spigot from	ī				
Town supply Port Denosit spinot	30	20 T ignofod	0 (	None in I or 50 c.c.	Good
town supply, tott Deposit, spikothp		rydneneg	61	Fresent in I or 50 c.c.	Bad

																			Too many bacteria		Too many bacteria	•			too many pacteria ad
Bad	Bad	Good	Good	Good	Bad	Good	Bad	G000	Good	Good	Bad	Good	Bad	Good	Good	Good	Bad	Bad-	Toon	Bad-	Too n	Good	Good	Bad-	Bad
Present in 1 c.c.	Present in 50 c.c.	None presentin I or 50c.c Good	None in 1 or 50 c.c.	None in 1 or 50 c.c.	Present in I c.c.	None in I or 50 c.c.	Present in I or 50 c.c.	None in I or 50 c.c.	None in 1 or 50 c.c.	None in I or 50 c.c.	c.c.		Present in 50 c.c.	None in I or 50 c.c.	None in I or 50 c.c.	None in 1 or 50 c.c.	Present in 50 c.c.	None in I or 50 c.c.	None in 1 or 50 c	None in I or 50 c.c.	)	None in I or 50 c.c.	None in Lor 50 c.c.	None in 1 or 50 c.c.	Present in I and 50 c.c.
01	∞	0	0,	Liquened I	9	20	က	2. Z	)	0	0	15	9	4	0	6	I	3900		• 1050	,	S	4	15	ĸ
Liquefied	Liquefied	35	35	4500 Liquefied	Liquefied	OI	OI	ະນ ເ	3. g	35	009	15	Liquefied	27	7	320	35	1500	_	3740		36	91	3000	25
5	S	II	II	 20 20	56	27	27	27	27	27	27	27	25	28	28	28	28	- 58 -	200	8 8		28	28	6	6
May	May	May	May	May Mav	May	May	May	May	May	May	May	May	May	May	May	May	May	May	Viav	May	,	May	May	nne	une
J. H. Neudecker, Tuxedo Park, spigot in kitchen	stable	•	Owings Mills, spring	Bauer, Havre de Grace, pump	Mrs. Cloak, Havre de Grace, town supply	No. 1, Pump station, Embla Park, spigot	J. L. Hess, Lynwood avenue, Tuxedo	No. 3, Open spring, Embla Fark Water Co. I	No. 5. Hurlbutt. Embla Park. spisot	No. 6, Dr. Smart, Roland Park		No. 8. Roland Park, Public School	Mr. Walter Townsend, Stemmer's Run			Jefferson Place, Annapolis, pump	Wagner street, Annapolis, pump		Maryland avenue Annapolis pump May	Bladen street extended, Annapolis, pump May		Hotel Maryland, town supply, spigot May	Acton lane, Annapolis, pump	Notre Dame, sent in by Dr. Robins, spring June	Pump station, Embla Park June

TABLE No. 3—CONTINUED.

TAP, STREAM, WELL OR SPRING. Date.	Colonie	Colonies Per c.c.	Colon Bacillus.	Quality.
	Aerobic.	Aerobic. Anaerobic.		
Woter tower Emble Dark cumuly		9	Present in I and to C	Bad
Notre Dame, Embla Park supply June o	001	OI	Present in I and 50 c.c.	Bad
T. W. Byerly, M.D., Laurel, No. 1, well June 13	1200	250	None in I or 50 c.c.	Suspicious-
or our loans of the state of M. change W. W.	0001	700	Drogont in	Too many bacteria
T. W. Byerly, M.D., Laurel, No. 2, WellJune 13	40	400	Present in 1 and 50 c.c.	Bad
A. F. VanBibber, M.D., Belair, well June 23	2000	2400	None in 1 or 50 c.c.	Bad-
	1			Too many bacteria
A. F. VanBibber, M.D., Belair, springJune 23	150	150	Present in 50 c.c.	Bad
June	40	4	Present in 1 c.c.	Bad
C. R. Scheller, M.D., Hagerstown, spigot June 29	9	S	Present in I c.c.	Bad
June	20	s s	Present in I and 50 c.c.	Bad
June	S	4	None in I or 50 c.c.	Good
June	70	∞	Present in I c.c.	Bad
	009	100	None in 1 or 50 c.c.	Fair
Hebden, Tuxedo July 7	1200	0	None in 1 or 50 c.c.	Fair
Neudecker, Tuxedo, brought in by Dr. Robins July 7	009	0	None in I or 50 c.c.	Fair
Hurlbutt, Embia, Dr. Robins July 7	01	S	None in I or 50 c.c.	Good
-	OI	Io	None in 1 or 50 c.c.	Good
Elevated tank, Embla[July 7	4800		None in 1 or 50 c.c.	Fair-
				Too many bacteria
Notre DameJuly 7	3000	н	None in I or 50 c.c.	Fair-
			,	Too many bacteria
Dr. F. P. Smithson, Forest Hill, No. 1, well July 14	40	8	None in 1 or 50 c.c.	Good
	300	•	None in I or 50 c.c.	Good
Dr. F. P. Smithson, Forest Hill, No. 3, spring July 14	50	 NO	None in I or 50 c.c.	Good

Good Fair Good Fair Good Bad Good Bad Bad Suspicious— Suspicious— Suspicious— Suspicious—	ouspictous— Bad Bad— Too many bacteria Pad— Too many bacteria Rad— Too many bacteria	Bad— Too many bacteria Fair Fair Good Good	Bad Bad— Too many bacteria
None in 1 or 50 c.c. Present in 1 c.c. None in 1 or 50 c.c. Present in 1 c.c. None in 1 or 50 c.c. Present in 50 c.c. Present in 1 or 50 c.c. Present in 1 or 50 c.c. None in 1 or 50 c.c. None in 1 or 50 c.c.	None in 1 or 50 c.c. Present in 1 and 50 c.c. None in 1 or 50 c.c. Tubes destroyed	Tubes destroyed  None in 1 or 50 c.c.	Present in 1 c.c. Noue in 1 or 50 c.c.
240 60 60 360 360 0 0 0 0 438 606 510	132 270 234 330	35	186
200 3000 450 2400 1,1quefied Liquefied Liquefied Liquefied 6000 6736 1686	2160 3450 2040	12000 3000 600 150 150 80 320	3600
4 6 6 6 6 6 1 1 1 1 9 9 9 9 9 9 9 9 9 9 9	0 99 9	6 113 113 20 20	22
ell uly July July July July July July Aug. Aug. Aug.	Aug.	Aug. Aug. Aug. Aug. Aug.	Aug.
Dr. F. P. Smithson, Forest Hill, No. 4, well July Wm. P. Beall, Lay Hill, well July Wm. P. Beall, Lay Hill P. O., well. July Frank Watkins, Lay Hill P. O., well. July Oliver Van Horn, Lay Hill P. O., well. July Rigby Hotel, Betterton, spring. Aug. Betterton Rouse, Betterton, spring. Aug. Betterton House, Betterton, pump. Aug. Rigby Hotel, Betterton, pump. Aug. Mary Cannon, Cambridge, pump. Aug. Mary Cannon, Cambridge, pump. Aug. Mrs. Morton Hughes, Cambridge, pump. Aug. Will Treco. Cambridge, pump. Aug.	Will frego, Cambridge, pump	Charles W. Reese, Westminster, spigot Aug. Charles W. Reese, Westminster, well Aug. Charles W. Reese, Westminster, well Aug. Mr. Winchester, country-place, pump. Aug. Mr. Winchester, country-place, pump. Aug. Mr. Julian G. McShane W. T. W.	÷ ; % ;

TABLE No. 3-Continued.

TAP, STREAM, WELL OR SPRING.	Date.	Colonies	Colonies Per c.c.	Colon Bacillus.	Quality.
		Aerobic.	Aerobic. Anaerobic.		
Guy W. Latimer, M.D., West River, No. 3, well	Aug. 22	3960	801	None in 1 or 50 c.c	Bad— Too many bacteria
Guy W. Latimer, M.D., West River, No. 4, well lacob Jeukins, Gamber, Md., well Aug.	Aug. 22 Aug. 31	1380	1320	Present in 1 and 50 c.c. Present in 1 and 50 c.c.	Bad Bad
Mrs W. H. Stocksdale, Gamber, well Aug. John Harry, Gamber, well Aug. Wm. Barnes, Gamber, well Aug.	Aug. 31 Aug. 31 Aug. 31	Liquefied 1140 1380	1090 720 480	Present in 50 c.c Present in 1 c.c. None in 1 or 50 c.c.	Bad Bad Bad—
Maurice Gorsuch, Gamber, wellAug. Joshua Peeling, Westminster, wellAug.		1860 2730	. ° 00 300°	Present in 1 c.c. None in 1 or 50 c.c.	Too many bacteria Bad Suspicious—
J. B. Ford, Gamber, well		Liquefied 1080	36	Present in 1 and 50 c.c. Present in 50 c c. Present in 1 c.c.	Too many bacteria Bad Bad Bad
F. C. Dezendorf, Laurel, well	Aug. 27 Aug. 27	1200 4800	8 68 4		Fair Suspicious—
Walter Marten, Laurel, well	Aug. 27 Aug. 27 Aug. 27 Aug. 27 Aug. 27 Aug. 27	2400 420 1800 1800 2400 1380	300 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	None in 1 or 50 c.c.	loo many bacteria Good Fair Fair Fair Fair

cood ad
Good Good Good Good Good Good Good Good
None in 1 or 50 c.c.
240 100 200 200 200 200 200 200 200 200 20
240 180 100 240 250 250 250 250 250 250 250 250 250 25
27288888888888888888888888888888888888
A A B B B B B B B B B B B B B B B B B B
L. Page Cronmiller, Laurel, well.  Snow Hill, No. 1  Snow Hill, No. 2  Thompson avenue, Emory Grove, pump.  Aug. Pierce's pump, Emory Grove, Emory Grove.  Robert avenue pump, Emory Grove.  Robert avenue pump, Emory Grove.  Aug. Horse pound pump, Emory Grove.  Aug. Minnehaha pump, Emory Grove.  Aug. Minnehaha pump, Emory Grove.  Aug. Minnehaha pump, Emory Grove.  Aug. Aug. F. C. Cole, Gladstone avenue, pumpl.  F. C. Cole, Gladstone avenue, pumpl.  Bep. M. Central Dairy, Embla Park supply.  F. C. Cole, Gladstone avenue, pumpl.  Bep. Dr. C. R. Scheller, Hagerstown.  Bep. Judge Alvey, Hagerstown.  Bep. Judge Alvey, Gladstone avenue, artesian well.  Sep. Judge Alvey, Ragerstown.  Bep. Judge Alvey, Gladstone avenue, pumpl.  C. W. Baldwin, Millersville, No. 2  Sep. Dr. C. W. Baldwin, Millersville, No. 2  Sep. Public spring, Clearspring.  Bublic spring pipe, Clearspring.  Suyder's public well, Clearspring.  Dr. J. A. Luetscher, Ocean City, No. 2  Oct. Dr. J. A. Luetscher, Ocean City, No. 4  Oct. Dr. J. A. Luetscher, Ocean City, No. 4

TABLE No. 3-CONTINUED.

TAP, STREAM, WELL, OR SPRING.	Date.	e.	Colonies	Colonies Per c.c.	Colon Bacillus.	Quality.
			Aerobic.	Anaerobic.		
		,				
Dr. J. A. Luetscher, Ocean City, No. 5	Oct.	9	120	300	None in I or 50 c c.	Good
Dr. J. A. Luetscher, Ocean City, No. 6	Oct.	9	12	25	None in I or 50 c.c.	Good
Dr. J. A. Luetscher, Ocean City, No. 7	Oct.	9	I	20	None in I or 50 c c.	Good
Dr. J. A. Luetscher, Ocean City, No. 8	Oct.	9	IO	Н	None in I or 50 c.c.	Good
	Oct.	9	006	20	None in I or 50 c.c.	Good
C. Heurich, Bellevue Farm, near Riverdale,					•	
	Oct.	9	0	0	None in I or 50 c.c.	Good
C. Heurich, Bellevue Farm, near Riverdale,						
No. 2	Oct.	9	7200	1500	Present in I and 50 c.c.	Good
C. Heurich, Bellevue Farm, near Riverdale,						
No. 3	Oct.	9	9	250	Present in I and 50 c.c.	Good
Mrs. Kate E. Dunbar, Ridge, St. Mary's Co. Oct.	Oct.	12	1200	350	None in I or 50 c.c.	Bad-
						Too many bacteria
Union Bridge College, wellOct.	Oct.	29	3000	1000	None in I or 50 c.c.	Suspicions—
						Too many bacteria
	Nov.	7	160	OI	Present in 50 c.c.	Bad
	Nov.	7	S	0	None in 1 or 50 c.c.	Good
	Nov.	7	50	0	None in I or 50 c.c.	Good
	Nov. 14	14	360	06	None in I or 50 c.c.	Good
A. P. Gordon-Cumming, Freedom, well	Nov.	14	2000	450	None in I or 50 c.c.	Suspicious-
	1					Too many bacteria
Basil Dorsey, Berrett, well	Nov. 14	14	3600	120	None in I or 50 c.c.	Suspicious-
	1					Too many bacteria
National Park Seminorr Bount Class Appr.	Nov.	14	1200	350	Present in I and 50 c.c.	Bad
well	Nov.	23	v	4	None in I or 50 c.c.	Good
		7	,	-		3

Respectfully submitted,

WM. ROYAL, STOKES, M.D., Bacteriologist to the State Board of Health.

### CLERICAL REPORT.

Number of letters (regular correspondence)	1792
Number of circular letters	4229
Number of birth certificates filed	9373
Number of death certificates filed	8567
Sent vouchers to 53 local registrars for the registration	on of
births and deaths for the quarters ending December	r 31,
1902, March 31, 1903, June 30, 1903, September 30,	1903.

Respectfully submitted,

M. L. RULLMAN, Clerk.

#### TYPHOID FEVER.

SOME UNCONSIDERED HINDRANCES IN ITS PROPHYLAXIS.\*

JOHN S. FULTON, M.D., BALTIMORE, MD.

For fifty years we have known that drinking water is the chief vehicle of typhoid infection, and this knowledge has enabled great cities to make measurably effective defense against typhoid fever. For more than twenty years it has been known that the whole problem of preventing typhoid fever lay in the disposal of typhoid dejecta. Knowing so much, it would seem that typhoid fever might have long since been reduced to insignificance as a cause of death. But the bad eminence of the disease is as conspicuous to-day as it was twenty years ago.

In the gruesome story of typhoid among the United States troops during the Spanish-American war we were confronted by a fact so humiliating that the profession has not yet had courage to consider fully its great significance. We learned that of every one hundred cases of typhoid fever sent to division hospitals one-half had escaped the diagnosis of regimental surgeons. This enormous defect of professional skill was exposed, not by typhoid in its rarer and more subtle disguises, nor by the very mild infections, but by plain, uncomplicated typhoid fever, which puts a man to bed for three to six weeks; such typhoid as all physicians see year after year and recognize five or six times in ten. Restrictive measures can avail us little if the enemy can maintain effective disguise while fully armed and accoutred. The failure of definite and effective means to restrict the prevalence of typhoid fever is chargeable primarily against American medical schools, which do not teach young men to recognize the commonest continued fever of the United States.

Before the fight against typhoid fever can become hopeful one barrier must be levelled: a ponderous inertia which American medical education has imposed on the medical

<sup>\*</sup>Part of a symposium on typhoid fever at the Fifty-fourth Annual Session of the American Medical Association, in the Section on Practice of Medicine, New Orleans, May, 1903.

mind in respect to one disease. Until we are relieved of the dead weight of authority, the thraldom of the textbook, we shall go on misinterpreting, in forty per cent. of instances, the clinical phenomena of typhoid infection. While dogmatic teaching is rapidly giving way to natural methods of study, there is in the portfolio of many a professor of medicine one lecture, or a set of lectures, which will be given up with great reluctance. The subject is typhoid fever, and the vivid descriptions so impress the students that they ever after require each case of typhoid to be as good as the description, to wear all its insignia, and to proclaim aloud its full name with decorations and titles. The prophylaxis of typhoid fever would gain an impetus from the conflagration of all such literature. Typhoid fever is taught too much, it is studied too This defect of medical education has no preferred habitat within the confines of America. The glaring delinquency of Army medical men owed little to the latitudes in which it was demonstrated. These observers came from all parts of the land, and brought with them such light as their previous training and professional associations afforded. The men who entered the Army medical service in the late war were not more delinquent than those who remained in civil practice. There is a broad humor in Carroll's story of a solitary regimental surgeon who had no malaria among his fifty fever patients. He had a foreign accent, and had not acquired the American delusion that malaria is a considerable contributor to the mortality of the country.

In 1898 the Special Commission on Typhoid in the United States Army Encampments testified that no fatal malarial infections occurred to the soldiers in any part of the United States. In 1900 the profession of this country testified through the Census Bureau that for every seven persons who died of typhoid fever, three others died of malaria. In the south Missississippi belt the testimony is that twice as many deaths occurred from malaria as from typhoid. Among the twenty-one geographical divisions\* of the country this one,


<sup>\*</sup>These Grand Groups do not respect State boundaries, but physical characteristics, as may be understood from their designations as follows:


the south Mississippi belt, showed the largest error in numbers, but a worse error was that of the central Appalachian region, where malaria is not even a considerable cause of disability, but where, nevertheless, it was charged with one death for every ten charged to typhoid.


I have plotted for each of the twenty-one grand groups the mortality returns of both typhoid and malaria by months, and the seasonal curve itself points a suspicion that confusion between the two diseases is everywhere more or less prevalent. Indeed, the charts show the malaria curve below, obedient to the typhoid curve above, as faithfully as the shores are reflected by the surface of a lake. The seasonal apex for the two diseases coincides in ten of the twenty-one groups, five times in August, once in September, four times in October. In eight groups the apex of the reported malaria mortality anticipates the typhoid apex by one month. In the whole Appalachian region, which runs from northern New York to within 200 miles of the Gulf coast of Alabama, the malaria is a midsummer madness, the apex being reached in July.


In the mid-Atlantic coast region, which includes parts of New York, New Jersey, Delaware, Maryland and Virginia and the whole of the District of Columbia, the Census figures show the typhoid fever and malaria mortalities in a ratio of


```
Grand Group
Grand
```

























72 to 28. The Delaware State Board of Health recently made an extended study of the subject by modern methods, and concluded that practically all the remittent and continued malarial fevers were in fact typhoid. None of them was malarial. In Maryland, where examinations of blood for the malarial parasite have been made for four years, the parasite has been found in but 5 per cent. of all the specimens submitted. My personal belief is that fatal malarial intoxication does not happen to one citizen a year in Maryland, though malaria is in some parts of the State a considerable cause of disability.

Of all the mortality charged in the South to malaria, half, perhaps, is really due to typhoid fever. The United States Army's experience would indicate that much more than half is due in fact to typhoid, and certainly more than 50 per cent. of the mortality so charged is not due

to malaria. In the North a much larger part, probably two-thirds of the reputed malarial mortality, represents unrecognized typhoid. Osler said long ago that north of the Mason-Dixon line every continued fever not yielding to quinine in six or seven days should be considered typhoid until definitely ascertained to be something else. I am led to believe that this mental attitude toward continued fevers is as becoming to medical men'in the South as to those north of the Mason-Dixon line. Outside of certain wellknown areas malaria does not kill citizens of the United States, and within those areas, where malaria is a cause of grave sickness, its right to be considered an important cause of death has not been subjected to the rigid scrutiny which its apparent importance demands. Speaking for that part of the United States which I know best, I can say that the terms "malarial" and "typhomalarial" express no definite belief as to the cause or character of a disease, but are applied to fevers of indeterminate nature, in the same way that some fourteen other titles found in the United States Census Reports are used—simply for want of a more satisfactory word.

To the large deficiency in the typhoid mortality which is fairly ascribable to the malaria delusion, one must add a further correction for the missed diagnosis of typhoid at the extremes of life. The accepted view that typhoid is unusual after middle life is not at present undergoing revision, so far as I know. But with respect to children the conviction is gradually settling in the minds of pediatrists that typhoid is common in childhood. At a recent meeting of the New York Academy of Medicine, J. P. Crozer Griffith remarked on the steady change of medical opinion on this point. He said that in the Children's Hospital of Philadelphia the cases of typhoid constantly outnumber those of any other single disease, and that the superabundance of typhoid is often a cause of embarrassment in the instruction of students. New York pediatrists remarked that they seldom see typhoid fever in children, but that the children of the metropolis often suffer with an obscure fever, which, for want of a better name, a distinguished clinician called "New York" fever. This circumstance reminds one of the fever that recurred year after year in a certain American city, and which, for want of a better name, was called "Ithaca fever." When to these sources of error in the diagnosis of typhoid fever the ambulant and anomalous cases are added, the total default in diagnosis is seen to amount to at least 50 per cent. of cases actually occurring. So long as we deceive ourselves thus grossly as to the amount of typhoid fever prevailing, we are not in a position to profit largely by our knowledge of its prevention.

But there is another important point on which, if not deceived, we are only half informed; namely, as to the preferred habitat of typhoid fever. The belief that typhoid fever is more common in close communities, and that its incidence is heaviest on cities, has its place in the medical mind by a sort of common consent. The grounds of the belief have not been examined, if, indeed, they have been stated. The late Colonel George Waring said in 1878: "Typhoid is peculiarly a disease of the country rather than of the town." No similar statement, I believe, is made by any American medical author; but the opposite view, that typhoid is peculiarly a disease of cities, is expressed in the most recent editions of at least four American text-books on medicine. Typhoid fever makes its most striking demonstrations in cities, and the definite influence of sanitary works on its prevalence has made the typhoid rate the accepted index of municipal hygiene. Typhoid fever has, nevertheless, at the present time and in this country, a heavier incidence on small communities and rural districts, and probably this has been the case for a long time; for sanitary works have neither such excellence nor so wide employment in American cities as to give urban populations in general good defenses against typhoid. On the contrary, the conditions of American cities with respect to water supply and disposal of waste might be expected to produce a constantly higher typhoid mortality than is experienced under rural conditions.

The returns of the Twelfth Census show that the typhoid mortality per 100,000 of population in the registration area was slightly higher in the rural districts than in the cities (25.5 to 25.3). The "registration area" contains, however, but one-third of the total population of the country, and

comprises the populations of 341 cities of 8,000 inhabitants and upward. But a small part of the aggregate population of the registration area is, therefore, classed as rural.

When we examine the rank of typhoid fever among all the causes of death we find that rural typhoid fever is credited with 62 in every 1,000 deaths, as against 38 per 1,000 for urban typhoid.

Taking the 21 grand groups into which the Census Office divides the country on a basis of physiography, and arranging them according to population density, one finds that the typhoid mortality rises as population density falls until we reach the low density of 50 persons per square mile. Below this point the relations of typhoid are, as might be expected, quite irregular.

The Census divides the United States into five grand divisions, which, arranged in the order of their rural population, are as follows: The south central division having 88.9 per cent. of its total population rural, and a typhoid mortality of 79 per 100,000; south Atlantic division having a population of 83 per cent. rural, and a typhoid mortality of 62 per 100,000; western division, population 68.8 per cent. rural, typhoid mortality of 33 per 100,000; north central division, population 59.4 per cent. rural, typhoid mortality of 42 per 100,000; north Atlantic division, population 41 per cent. rural, typhoid mortality of 30 per 100,000. Here we find the typhoid mortality rising as the urban population falls.

Some doubt may be admitted as to whether these grand divisions can fairly be compared. If the United States be divided into State groups on the basis of the distribution of population between town and country, we can eliminate to a great extent the influence of latitude and longitude.

Thus there are five States whose rural populations are under 30 per cent. of the totals. They are Massachusetts, New York, Rhode Island, New Jersey and the District of Columbia. Their aggregate population is 12,665,183, of which number 70 per cent. are classed as urban, i. e., live in towns of 8,000 or over. Their combined typhoid mortality is 25 per 100,000. (See Table I.)

Six States have populations between 40 and 50 per cent. rural—Connecticut, Pennsylvania, Delaware, Maryland, Illi-

nois and California. In these the total population is 50 per cent. urban, and the typhoid mortality for 1900 was 42 per 100,000.


Seven States have populations between 50 and 60 per cent. rural—New Hampshire, Ohio, Michigan, Wisconsin, Missouri, Colorado, Washington. Their population is 43 per cent. urban, and their typhoid mortality in 1900 was 38 per 100,000.


Eight States have populations between 60 and 70 per cent. urban—Maine, Indiana, Minnesota, Louisiana, Montana, Wyoming, Utah, Oregon. Their population is 25 per cent. urban, and their typhoid mortality in 1900 was 46 per 100,000.


Twelve States have populations between 70 and 80 per cent. rural—Vermont, Virginia, South Carolina, Georgia, Florida, Tennessee, Alabama, Texas. Their population is 13 per cent. urban, and their typhoid mortality in 1900 was 62 per 100,000.

Twelve States have populations more than 80 per cent. rural—West Virginia, North Carolina, North Dakota, Mississippi, Indian Territory, Oklahoma, Arkansas, New Mexico, Arizona, Nevada, Idaho. Their population is 5 per cent. urban, and their typhoid mortality in 1900 was 67 per 100,000. Taking the twenty-one grand groups into which the country is divided on a basis of physiography, and arranging them according to their population density one finds that the typhoid mortality rises as population density decreases, until we reach a population density of 50 persons per square mile. Below that point the relations of typhoid to population density are, as might be expected, quite irregular. (See Table II.)

The experience of Maryland supports the general indications of these figures. There is but one large city in the State. The inhabitants of Baltimore are half of the total population of the State. There are but two other towns having as many as 8,000 inhabitants. It may be fairly said that the population of the State is equally divided between rural and urban conditions. The ratio of typhoid mortality is 1 to 2.5 in favor of Baltimore, a poorly-sewered city, supplied with unfiltered water from an extensive and unprotected water-shed.







Dividing the cities of this country into ten classes on a descending population scale, we find that the typhoid mortality rises somewhat as populations diminish. Thus the least mortality in 1900 (24 per 100,000) fell on the three cities having populations of more than 1,000,000—New York, Chicago and Philadelphia. Not one of these cities is watered or sewered in a thoroughly modern way. Indeed, one of them is notoriously bad in respect to water supply.

There are but three cities in the half-million class—Boston, Baltimore and St. Louis—whose combined mortality for 1900 was 32 per 100,000.

Next we have five cities—Cleveland, Buffalo, San Francisco, Cincinnati and Pittsburg—whose average population is 344,-891, and whose combined typhoid mortality for 1900 was 57. In this group we have the banner city of the year in respect to typhoid mortality among populations of over 100,000, Pittsburg, with the large rate of 147 per 100,000. The combined mortality in this class, if Pittsburg were omitted, would be 37 per 100,000.

Next are eight cities with an average population of 249,094, and a typhoid mortality for 1900 of 41 per 100,000. The city of Washington, in this class, had a mortality of 81 per 100,090, adding six points to the combined mortality of the class.

In the next class are eighteen cities whose average population is 128,281, and whose typhoid mortality in 1900 was 37.7 per 100,000. The second city of the country in typhoid mortality among populations of over 100,000 is in this class, Allegheny, Pa.

In the next class are fifteen cities with populations averaging 83,692, and typhoid mortality for 1900 was 44.4 per 100,000.

The seventh class comprises twenty-five cities whose populations averaged 59,517 and had a typhoid mortality in 1900 of 38.8 per 100,000.

In the eighth class are forty-five cities having an average population of 33,957, and a typhoid mortality of 45.5 per 100,000.

In the next class are sixty cities having an average population of 18,205, whose combined typhoid mortality for 1900 was 46.8 per 100,000.

Finally, there are 119 cities whose populations average 12,629, and whose combined typhoid mortality for the year was 44.8 per 100,000.

The total population accounted for in this analysis of typhoid mortality is 20,922,886. The actual increase of typhoid mortality as the scale of population falls is probably greater than these tables indicate, for the States whose general mortality from typhoid is comparatively low are the chief contributors to the ninth and tenth classes, whose rates are highest.

The foregoing studies seem to warrant two conclusions, each having an important bearing on the general prophylaxis of typhoid fever. The first and more important is that the typhoid mortality reported in this country is not more (probably less) than 65 per cent. of the typhoid mortality actually occurring. Of the total morbidity from the disease a considerable part runs its course to recovery without coming under medical observation, and of the cases receiving professional care fully one-half are not recognized as typhoid fever. therefore follows that the first step in the restriction of typhoid fever must fail for lack of diagnostic skill in the rank and file of the medical profession. The correction of this delinquency does not wait on improved methods of clinical or laboratory diagnosis, but on a general realization of the ubiquity and perennial activity of typhoid fever, and on the lumbering advance of reform in medical education.

A subsidiary conclusion from this part of the present study is that a very large majority of the deaths attributed to malaria are due to causes in which malaria does not even participate.

The second important conclusion, drawn from a study of the distribution of typhoid mortality, is that the infection is more heavily seeded in smaller communities, and that the propagation of the disease is in general from the country to the town, rather than from town to country. The explanation of this fact is probably found in the greater care given to the disposal of human excrement as communities grow more populous.

The prophylaxis of typhoid fever consists essentially in defense against excremental contamination, and precisely as the barriers are more or less remote from the sources of infection is the defense less or more effective. In this view of the prevention of typhoid fever it must appear that, notwithstanding the very great value of the defenses on which cities most rely, these defenses do not, and by their widest conceivable extension can not, satisfy the requirements of a rational prophylaxis of typhoid fever. In town and country alike the appointed time and place for intervention against the spread of typhoid fever is whenever and wherever a case of typhoid fever is recognized. Those outbreaks of typhoid which from time to time scandalize great cities and bring down wrath on the authorities, as a rule, have their origin in unremarked, unopposed, or perhaps lie coddled epidemics covering the countryside for miles around. To set up at the city gates expensive works for the purification of the public water supply as a main defense against water-borne disease is literally a preposterous arrangement. It waives the choice of time, place and weapons, conceding all these advantages to the enemy. It assumes that the vices of rural insanitation are invincible, but they are not. If there is one direction in which, more than another, the political influence of great cities should be exerted, it is to bring rural districts and small communities under legal obligation to render strict account of deaths and the causes of death, and to take and give good heed to the preventable diseases at the time and place of their occurrence.

TABLE I.

FIVE STATES WHOSE URBAN POPULATIONS ARE 60 PER CENT. AND

UPWARDS.

	Population.	Urban.	Typhoid
Massachusetts	2,805,346	2,132,623	625
Rhode Island	428,556	347,892	102
New York	7,268,894	4,980,042	1,776
New Jersey	1,883,669	1,153,001	398
District of Columbia	278,718	278,718	225
	12,665,183	8,892,276	3,126

Rural population, 30 per cent. Typhoid per 100,000, 25.

SIX STATES WHOSE URBAN POPULATIONS ARE FROM 40 TO 60 PER CENT.

	Population.	Urban.	Typhoid.
Connecticut	908,420	483,068	249
Pennsylvania	6,302,115	2,865,937	2,779
Delaware	184,735	76,508	- 90
Maryland	1,188,044	557,497	510
Illinois	4,821,550	2,271,940	1,897
California	1,485,053	649,474	542
	14,889,917	7,593,424	6,067

Rural population, 49 per cent. Typhoid per 100,000, 42.

SEVEN STATES WHOSE POPULATIONS ARE FROM 30 TO 40 PER CENTURBAN.

	Population.	Urban.	Typhoid.
New Hampshire	411,588	158,920	69
Ohio		1,599,840	1,795
Michigan	2,420,982	747,334	68o
Wisconsin	2,069,042	634,437	365
Missouri	3,106,665	955,563	1,790
Colorado	00,7.1	205,703	222
Washington	518,103	165,282	171
	13,223,625	4,467,079	5,092

Rural population, 67 per cent. Typhoid per 100,000, 38.

EIGHT STATES WHOSE POPULATIONS ARE FROM 20 TO 30 PER CENT.

URBAN.

	Population.	Urban.	Typhoid.
Maine	694,466	164,639	200
Indiana	. 2,516,462	607,834	1,496
Minnesota	. 1,751,394	470,046	386
Louisiana	. 1,381,625	314,386	1,077
Montana		65,623	42
Wyoming.		22,294	16
Utah	. 276,749	69,844	73
Oregon.	. 413,536	98,807	106
,	73,700,092	1,813,473	3,396

Rural population, 75 per cent. Typhoid per 100,000, 46.

TWELVE STATES WHOSE POPULATIONS ARE FROM 10 TO 20 PER CENT. URBAN.

	Population.	Urban.	Typhoid.
Vermont	343,641	305,054	107
Virginia	1,854,184	1,582,489	914
South Carolina	1,340,316	1,240,146	970
Georgia	2,216,331	1,972,562	1,585
Florida	528,542	449,413	290
Iowa	. 2,231,852	1,857,128	549
Nebraska	1,066,300	897,575	260
Kansas	1,470,495	1,265,288	688
Kentucky	2,147,174	1,784,115	1,669
Tennessee	2,020,216	1,750,298	1,709
Alabama	1,828 697	1,694,991	1,713
Texas	3,048,710	2,704,848	2,014
•	20,096,459	17,503,907	12,468

Rural population, 87 per cent. Typhoid per 100,000, 62.

TWELVE STATES AND TERRITORIES HAVING POPULATIONS LESS
THAN 10 PER CENT. URBAN.

Population.	Urban.	Typhoid.
. 958,800	885,197	586
	1,797,273	1,250
319,146	309,548	65
	391,484	73
. 1,581,270	1,510,176	1,370
	392,060	321
. 398,331	378,288	201
1,311,564	1,240,201	1,172
195,310	195,310	102
. 12 <b>2,</b> 931	122,931	41
. 42,335	42,335	12
. 161,772	161,772	37
7,779,179	7,426,575	5,230
	. 95\$,800 . 1,893,810 . 319,146 401,750 . 1,581,270 . 392,060 . 398,331 . 1,311,564 . 195,310 . 122,931 . 42,335 . 161,772	. 958,800 885,197 . 1,893,810 1,797,273 . 319,146 309,548 401,750 391,484 . 1,581,270 1,510,176 . 392,060 392,060 . 398,331 378,288 . 1,311,564 1,240,201 . 195,310 195,310 . 122,931 122,931 . 42,335 42,335 . 161,772 161,772

Rural population, 95 per cent. Typhoid per 100,000, 67.

#### TABLE II.

THE 21 GRAND GROUPS, ACCORDING TO THE TWELFTH CENSUS, SHOW-ING POPULATIONS, TYPHOID AND MALARIA MORTALITIES, WITH DENSITIES AND TYPHOID RATES.

Grand Group,	Typhoid Deaths.	Malarial Deaths.	Popu- lation.	Den. sity.	Typhoid Mor'y,
I	0.60	157	3,824,576	198.4	23
2		694	7,139,889	299.8	27
3	1.5	922	1,193,697	29.0	52
-		•	1,767,487	16.5	
4		1,179		. •	63
5		94	2,063,453	38.1	29
6,	991	108	3,249,040	89.0	30
7	1,701	193	5,910,100	114.0	29
8	3,796	557	7,488,008	99.4	51
9	2,886	695	4,031,150	39.0	70
10	1,774	309	3,018,359	85.7	58
11	3,971	2,285	4,812,414	37.7	83
12	753	1,424	1,090,623	39.0	69
13	1,198	571	2,872,624	42.2	42
14	4,319	3,597	5,424,490	21.9	79
15	3,410	695	5,458,379	65.0	62
16	2,645	641	8,133,937	30.6	33
17	537	169	1,446,643	16.5	37
18	58 <b>o</b>	199	1,442,684	3.4	40
19	543	101	1,990,622	20.3	28
20	638	220	1,965,065	2.2	33
21	529	64	1,671,335	16 <b>.</b> 0	32

#### TABLE III.

Three hundred and one American cities classified on a descending scale of populations, showing typhoid mortality according to United States Census figures for each of ten classes:

CT		

		Deaths
	Population.	from Typhoid.
Chicago		470
New York		594
Philadelphia	r,293,697	489
Totals		1,553

Average population, 2,143,158. Typhoid mortality per 100,000, 24.

#### CLASS II.

	Population.	from Typhoid.
Boston		153
Baltimore		177
St. Louis	. 575,238	190
Totals		520

Average population, 565,029. Typhoid mortality per 100,000, 32.

#### CLASS III.

	Population.	Deaths from Typhoid.
Cleveland		184
Buffalo	352,387	88
San Francisco		135
Cincinnati	325,902	106
Pittsburg*	321,616	474
Totals	1,724,455	987

Average population, 344,891. Typhoid mortality per 100,000, 57. \*Pittsburg being omitted, the typhoid mortality of the group is 37

per 100,000.

#### CLASS IV .- EIGHT CITIES.

	Population.	Deaths from Typhoid.
New Orleans	287,104	191
Detroit	285,704	54
Milwaukee	285,315	52
Washington, D. C.*	. 278,718	225
Newark, N. J	246,070	26
Jersey City		46
Louisville, Ky	204,731	150
Minneapolis	202,718	83
Totals	1,996,793	827

Average population, 249,094. Typhoid mortality per 100,000, 41. \*Washington being omitted, the typhoid mortality of the group is 35 per 100,000.

#### CLASS V .- EIGHTEEN CITIES.

	Population.	Deaths from Typhoid.
Providence	174,597	52
Indianapolis	169,164	77
Kansas City	163,752	67
Rochester	162,608	38
St. Paul		36 •
Denver		57
Toledo		5.3
Allegheny, Pa	129,896	134
Columbus, Ohio	125,560	68
Worcester, Mass	118,421	21
Syracuse, N. Y	108,374	25
Fall River	104,863	23
Los Angeles	102,320	47
New Haven	108,027	33
Paterson, N. J	105,171	31
St. Joseph, Mo	102,979	37
Scranton	102,026	30
Omaha	102,555	41
Totals	2,309,059	870

Average population, 128,281. Typhoid per 100,000, 37.7.

### CLASS VI.-FIFTEEN CITIES.

		Deaths
	Population.	from Typhoid.
Albany	91,151	41
Richmond, Va	85,050	66
Dayton, Ohio	85,333	45
Seattle	80,671	31
Atlanta, Ga		98
Lowell, Mass		í8
Cambridge, Mass	91,886	19
Portland, Ore	90,426	22
Grand Rapids, Mich	87,565	34
Hartford, Conn	79,850	45
Reading, Pa		35
Wilmington, Del		50
Camden, N. J	75,935	22
Trenton, N. J	73,307	25
Bridgeport, Conn	70,996	11
<b>3</b> 1		
Totals	1,255,385	562

Average population, 83,692. Typhoid per 100,000, 44.7.

### CLASS VII.-TWENTY-FIVE CITIES.

Total population	1,389,462
Average population.	55,578
Total typhoid deaths	539
Typhoid mortality per 100,000	38.8

		Deaths
	Population.	from typhoid.
Oakland, Cal	66,960	22
Lynn, Mass	68,513	13
Lawrence, Mass	62,559	8
Springfield, Mass	62,059	18
New Bedford, Mass	62,442	16
Somerville, Mass	61,643	17
Elizabeth, N. J	52,130	5
Wilkesbarre, Pa	51,721	14
Erie, Pa.	52,733	18
Harrisburg, Pa	50,167	20
Evansville, Ind	59,007	45
Charleston, S. C	55,807	70
Savannah, Ga	54,244	21
Manchester, N. H	56,987	6
Trov. N. Y	60,651	53
Utica, N. Y	56,383	
Salt Lake, Utah	53,531	3 16
San Antonio, Texas	53,321	44
Duluth, Minn	52,969	23
Portland, Me	50,145	21
Hoboken, N. J	59,364	19
Yonkers, N. Y	47,931	. 6
Holyoke, Mass	45,712	13
Waterbury, Conn	45,859	21
Norfolk, Va	46,624	27
		·
Totals	1,389,462	539

# CLASS VIII.—FORTY-FIVE CITIES.

Total population	1,528,061
Average population	33,957
Total typhoid deaths	694
Typhoid mortality per 100,000	45.5

	Population.	Deaths from Typhoid.
Haverhill, Mass	37,175	4
McKeesport, Pa	34,227	15
Altoona, Pa	38,973	19
Spokane, Wash		19
Davenport, Iowa		23
Sioux City, Iowa	33,111	13
Johnstown, Pa		35
Elmira, N. Y		13
Chelsea, Mass		8
Springfield, Ill	34,159	19
Bayonne, N. J	32,722	5
Superior, Wis		19
Allentown, Pa		17
Salem, Mass	35,956	7
Youngstown, Ohio	44,885	51
Brockton, Mass	40,063	16
Binghamton, N. Y	39,647	13
Lancaster, Pa		23
Covington, Ky	42,938	17
Mobile, Ala	38,469	31
Wheeling, W. Va	38,878	26
Lincoln, Neb	40,169	• 14
Terre Haute, Ind	36,673	22
Saginaw, Mich	42,345	17
Tacoma, Wash	37,714	7
Fitchburg, Mass	31,531	6
Malden, Mass	33,664	5
Newton, Mass	33,587	7
Taunton, Mass		3
Auburn, N. Y	30,345	12
Schenectady, N. Y	31,683	10
Canton, Ohio	30,667	19
Pawtucket, R. I	39,231	7
Quincy, Mass	36,252	7
Sacramento, Cal	29,282	15
Woonsocket, R. I	28,204	6
New Castle, Pa	28,339	42
Jacksonville, Fla	28,429	19
Easton, Pa	25,238	4
Newport, Ky	28,301	15

	Danulation	Deaths
	Population.	from Typhoid.
Pueblo, Col	28,157	31
Passaic, N. J.	27,777	11
Williamsport, Pa	28,757	8
Bay City, Mich	27,628	
Gloucester, Mass	26,121	4
Totals	1,528,061	694
. CLASS IX.—SIXTY	OTMING	
		7 002 287
Total population		
Average population		
Total typhoid deaths		
Typhoid mortality per 100,000		49.0
	m 1.1	Deaths
	Population.	from Typhoid.
Norristown, Pa	22,265	9
Jamestown, N. Y	22,892	16
Muncie, Ind	20,942	10
Burlington, Iowa	23,201	14
Wilmington, N. C	20,976	10
Leavenworth, Kan	20,735	8
Wichita, Kan	24.671	14
New Brunswick, N. J	20,006	4
Jackson, Mich	25,180	16
Kalamazoo, Mich	24,404	7
Muskegon, Mich	20,818	4
Bangor, Me	21,850	13
Petersburg, Va	21,810	18
Cohoes, N. Y	23,910	35
Watertown, N. Y	21,696	18
Lafayette, Ind	18,116	6
Richmond, Ind	18,226	10
Ottumwa, Iowa	18,197	18
Northampton, Mass	18,643	6
Chicopee, Mass	19,167	9
Medford, Mass	18,244	7
Lynchburg, Va	18,891	17
Key West, Fla	17,114	7
Paducah, Ky	19,446	31
Lebanon, Pa	17,628	8
Eau Claire, Wis	17,517	5
Battle Creek, Mich	18,563	7
Port Huron, Mich	19 158	7
Concord, N. H.	19,632	2
Niagara, N. Y		24
Findlay, Ohio	17,613	19

	Population.	Deaths from Typhoid.
Portsmouth, Ohio	. 17,870	9
Sault Ste. Marie, Mich		I
Natchez, Miss	. 23,898	17
Orange, N. J	. 24,141	5
Perth Amboy, N. J	. 17,699	* 2
Kingston, N. Y		5
Newburgh, N. Y	24,943	10
Amsterdam, N. Y	. 20,929	3
Gloversville, N. Y	. 18,319	3
Poughkeepsie, N. Y	. 24,029	7
Hamilton, Ohio		4
Lima, Ohio	. 21,723	8
Newark, Ohio	. 18,157	5
Central Falls, R. I	. 18,167	2
Newport, R. I	. 22,034	12
Burlington, Vt	. 18,640	4
San Diego, Cal	. 17,700	2
Meriden, Conn	. 24,296	5
New London, Conn	17,548	3
Norwich, Conn	. 17,251	I
Belleville, Ill	. 17,484	14
Aurora, Ill	. 24,147	10
Decatur, Ill	. 20,754	8
Galesburg, Ill	. 18,607	4
Everett, Mass	. 24,336	6
Winona, Minn	. 19,714	5
Madison, Wis	. 19,164	3
Green Bay, Wis	. 18,684	6
Nashua, N. H	28,898	1
Totals	. 1,092,281	544
CLASS X.—ONE HUNDRED AN	ND NINETEEN	CITIES.
Total population		1,502,829
Average population		

Total population	1,502,829
Average population	12,629
Total typhoid deaths	674
Typhoid mortality per 100,000	44.8


	Population.	Deaths from Typhoid.
Lockport, N. Y	. 16,581	3
Shreveport, La	. 16,013	30
Marinette, Wis	. 16,195	19
Appleton, Wis	. 15,085	3
Lansing, Mich	. 16,485	4
Biddeford, Me	. 16,145	13
Alameda, Cal	. 16,464	5


	Population.	Deaths from Typhoid.
Rome, N. Y	15,343	6
Helena, Mont		4
Meadville, Pa		10
Carbondale, Pa		5
Columbia, Pa		6
Pottstown, Pa		5
South Bethlehem, Pa		6
Oil City, Pa		II
Rutland, Vt		4
Harrisontown, N. J		3
Millville, N. J		5
Montclair, N. J		I
Phillipsburg, N. J		2
Ithaca, N. Y		. 4
Flint, Mich		5
Ann Arbor, Mich		3
Marquette, Mich		8
Menominee, Mich		15
West Bay City, Mich		6
Dover, N. H		3
Portsmouth, N. H		I
Augusta, Me		5
Fresno, Cal		5
Bridgeton, N. J		3
Morristown, N. J		3
Watervliet, N. Y		12
Dunkirk, N. Y	. 11,616	6
Geneva, N. Y		5
Lansinburg, N. Y		8
Ogdensburg, N. Y		11
Saratoga, N. Y		6
Ashtabula, Ohio	12,949	5
Chillicothe, Ohio	. 12,976	9
Tiffin, Ohio	. 10,989	4
Massillon, Ohio	. 11,444	5
Marietta, Ohio		8
Lawrence, Kan	. 10,862	3
Phœnixville, Pa	. 9,196	4
Bennington, Vt	5,656	2
Barre, Vt	8,448	3
Owosso, Mich	. 8,696	4
Pontiac, Mich	. 9,769	r
Escanaba, Mich		9
Iron Mountain, Mich		ī
Ironwood, Mich	9,705	4
Traverse City, Mich	9,407	3

	Population.	Deaths from Typhoid
Berlin, N. H	8,886	3
Laconia, N. H	8,042	2
Rochester, N. H	8,466	o
Keene, N. H	9,165	0
Rockland, Me	8,150	I
Hutchinson, Kan	9,379	11
Carlisle, Pa	9,626	5
Plymouth, Pa	13,649	7
Glen Falls, N. Y	12,613	5
Jeffersonville, Ind	10,774	IO
Columbus, Ind	8,130	3
Peru, Ind	8,463	10
Vincennes, Ind	10,249	8
Keokuk, Iowa	14,641	15
Muscatine, Iowa	14,073	13
Marshalltown, Iowa	11,544	18
Oskaloosa, Iowa	9,212	4
Leadville, Colo	12,455	6
Raleigh, N. C	13,643	6
Newburyport, Mass	14,478	4
Weymouth, Mass	11,324	I
Marlboro, Mass	13,609	I
Alexandria, Va	14,528	II
Annapolis, Md	8,525	2
Frederick, Md	9,296	4
Hudson, N. Y	9,528	5
Cortland, N. Y	9,014	5
Bellaire, Ohio	9,912	7
Middletown, Ohio	9,215	I
Warren, Ohio	8,529	6
Plainfield, N. J	15,369	2
Middletown, N. Y	14,522	3
Port Jervis, N. Y	9,385	3
Peekskill, N. Y	10,358	0
Corning, N. Y	11,061	5
Johnstown, N. Y	10,130	3
Olean, N. Y	9,462	3
Ironton, Ohio	11,868	12
DuBois, Pa	9,375	4
Hazelton, Pa	14,230	3
Mahony, Pa	13,504	3
Mt. Carmel, Pa	13,179	2
Pittston, Pa	12,566	2
Pottsville, Pa	15,710	3
Steelton, Pa	12,086	3
Ansonia, Conn	2,681	2

	Population.	Deaths from Typhoid.
Danbury, Conn	16,537	3
Greenwich, Conn	2,420	3
Middletown, Conn	9,589	5
Naugautuck, Conn	10,541	5
Norwalk, Conn	6,125	2
Stamford, Conn	15,997	I
Stonington, Conn	2,278	I
Wollingford, Coun	6,737	3
Bristol, Conn	6,268	11
Torrington, Conn	8,360	2
Danville, Ill	16,354	17
Jacksonville, Ill		IO
Ottawa, Ill	10,588	3
Michigan City, Ind	14,850	3
Beverley, Mass	13,884	4
Melrose, Mass	12,962	6
Mankato, Minn	10,599	6
Chippewa Falls, Wis	8,094	3
Beloit, Wis	10,436	0
Manitowoc, Wis	11,786	3
Totals	1,502,829	674

Note.—In this paper, as originally printed in the Journal of the American Medical Association, the City of Savannah, Georgia, was erroneously given the bad distinction of a typhoid mortality of 147 per 100,000. The author in reading the Census tables strayed from the column containing Savannah's figures, and took instead the typhoid mortality for the rural area in which Savannah is situated. There were seven such errors in the original tables. The figures in the present report have been verified by reference to the Census tables and are believed to be correct.





* YARLE A	-DEATH	IN 1993 IN MARVLAND, EXCLUSIVE OF BALTHURE, BY SEX. COLOR, AGE. MONTHS AND CAUSES
March. Ma	Colored. Total.	Causes of Divarie.
National September 1 September	109 299	
4 2 3 3 3 3 3 3 9 9	9 21 14 37 132	Typical Person.   1
	9 21 37 132 3 19 62 132 23 150 30 145	\$ Verbins   9   4   1   6   5   5   6   7   7   7   7   7   7   7   7   7
, 1 4 10 25 00 5 3 2 35 46	17 63	15. Chefer, Annule 1
1 4 3 4 1 1 2 1 1 1 6 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 18	Department of the control of the con
		23. Miligrand Found and Clarifon (Anthon).  24. Robust
g) 100 106 100 110 83 07 73 86 83 75 91 45 617 640 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	435 to75 7 23 7 33 3 5	State Content   State Conten
	3 4 11 25 5 7 10 15	Bables
9 8 6 7 10 8 3 12 9 6 6 8 41 44 23	15 91	33 Déconorriagis of the Adult
7 1 3 1 7 2 1 3 3 3	6 36 3 21 1 7	20 Course and other Dictional Transmission of the decad Court   20   20   20   20   20   20   20   2
3 4 1 2 5 4 5 2 1 1 1 3 9 6 1 3 1 3 1 3 2 3 1 3 3 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 2 3 1 3 3 3 3	6 13 12 35 1 0	48 Charter and the Hulligans Tamons of the Stage
	1 3 2 6 4 14	5. Garce, Easythtetick
3 3 3 3 3 7 1 3 2 3 3 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1	3 14	SE-Chair General Districts A Abdolutia.  Selection of the Conference of Light Health Selection of the Conference o
5 it is 8 i6 7 9 is 9 i4 10 5 65 96 95 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 2 1 1 2 1	26 121 5 17 2 6 1 12 73 355	6 Desprish, Single Control Spring Control C
1	73 350 27 31 206 2 33 9 83	Cercinal Configuration
7 13 11 12 10 13 15 14 25 11 9 13 87 64 94 4 3 1 1 3 6 3 3 4 4 20 9 22	26 122 5 17 2 6 2 73 356 51 200 2 73 357 51 200 2 33 2 35 4 6 57 151 7 29	70 Etclasspis (seet prespetal) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1 1 1 2 7 2 1 1 1 3 3 3 3		25 Illseages of the Eye and its Advent.
54 57 42 57 47 19 45 44 43 65 37 51 756 246 457 2 4 1 2 3 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 8 4 12 2 13 125 535 1 12 4 29 1 6	60 Augreit per Ceptoris. 1 1 2 2 1 3 3 7 2 1 5 4 3 7 2 5 1 5 1 5 4 3 7 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5
3 1 3 1 1 1 3 1 3 1 3 1 3 1 1 1 1 1 2 1 3 1 3	7 15	64. Affection of the Impropriet is price of the Improvement of Improv
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33 77 4 37 43 133 93 569 2 11 16 30	\$\$\text{\$\exititt{\$\text{\$\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\texititt{\$\text{\$\texit{\$\tex{\$\texititt{\$\texitt{\$\text{\$\texit{\$\texi{\$\texi{\$\texi{\$\tex{
11 3 5 3 1 1 2 1 3 3 3 3 1 1 5 3 3 1 1 5 3 1 1 3 3 3 1 1 5 3 1 1 3 3 3 1 1 5 3 3 1 1 5 3 3 1 1 5 3 3 1 1 5 3 3 1 1 5 3 3 1 1 5 3 1 1 3 1 1 1 1	33 77 4 37 43 133 193 563 2 11 16 30 9 18	95 Benezhin Andréa
3 2 4 1 2 2 1 1 2 1 2 - 15 6 12 7	7 15	6 Foliassy Finish sen: 4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 7 23 208 134 535 5 10 17 90	## Administration of the Typers Bade
	9 33	Description Limited
5 4 1 2 3 2 6 3 6 4 2 24 12 33 1 1 1 2 2 7 1 2 1 1 2 2 7 1 1 1 2 2 7 1 1 1 2 2 7 1 1 1 2 2 7 1 1 1 2 2 7 1 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 2 2 7 1 1 1 2 7 1 1 2 7 1 1 1 2 7 1 1 1 2 7 1 1 1 2 7 1 1 1 2 7 1 1 1 2 7 1 1 1 1	9 33	1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 20 7 24 101 390 1 8	105. Persistantia district framework competed
3 1 3 1 3 2 10 1 10	3 13	Clark Andrews of the Unite
	1 3	17. Mercus Hemourhape, Olerine Linkspergraph, 3. Tourn, Ourse (more purpers), 3. Tourn, Ourse (more purpers), 3. Tourn, Distance of the Ourse, 4. Course of during the Ourse, 4. Course of the Ourse,
1 1 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 2 10 3 12	13 Ciles Dissase de le Francio Gestal Organo   1
3 3 2 3 3 3 3 3 2 2 4 1 3 3 19 16 5 5 5 5 6 1 7 15 2 7 2 7 2 7 2 3 3 3 3 2 10 10 10 10 10 10 10 10 10 10 10 10 10	3 12 13 29 12 32 2 30	We Gerra resource at Labor.  We Grant Annual Conference at Labor.  We Advantage of the Agreement of the Agre
1 3 2 1 3 6 6 6 7	4 10 7 2 7	10   Pointe (Entrents)
7 3 4 6 6 4 7 8 9 7 5 5 7 7 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	15 b1 16 354 6 20 1 2 19 439	He meaning Dennis das his Genul Organ.  The control Dennis Control Grant of Control Organ.  The control Dennis Control Organ.  The control Organ.  The control Dennis Control Organ.  The control Organ.
47 31 54 47 33 39 47 36 34 32 39 25 25 27 340	15 bt 16 354 6 20 1 2 19 439	So Charles Andream of the Opposed I documental and the Charles of
7 1 2 1 1 1 1		Series   Company   Compa
3 t 2 1 1 1 1 2 3 4 2 3 7 3 7 9 9 3 3 7 15 15 15 15 15 15 15 15 15 15 15 15 15	3 23 3 23 42 200 19 60	30 Charlo Adolda
3 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 2 3 2 12 18 71	
	10 27 13 31	Recommendation Transmission
	153 354	195. Notice Deals



# TABLE B-BIRTHS, BIRTH RATE, DEATHS, DEATH RATE, INCREASE AND RATE OF INCREASE OF THE WHITE AND COLORED POPULATION OF MARYLAND, BY COUNTIES.

	1			_				· · · · ·	0			Wy	LE POPU	T A WITC	) N	[	Whit	170			Coro	0.150	Pon			
	WH	OLE POP	ULATIO	ON.		WHITE	ts.		Color	ĘD.		WHO	ILE FOR	LAIIC	, , , , , , , , , , , , , , , , , , ,		WHI	2,3,				KWD.		TOP	ULATION I	903.
	Births.	Deaths.	Gain.	Loss.	Births.	Deaths.	Gain. Los	s. Births.	.Deaths.	Gain	Loss.	Births per 1000 popu- lation.	Deaths per 1000 popu- lation.	Gain.	Loss.	per 1000	Deaths per 1000 popu- lation.	Gain.	Loss.		Deaths per 1000 popu- lation.	Gain,	Loss.	White.	Colored.	Total.
Allegany Anne Aruntel Baltimore talvert Carolin Cecil Cecil Charles Dorchester Frederick Garrett Harford Howard Kent Montgomery Prince George's. Oneen Anne's. Som-rest St. Mary's. Talbod Washington Wester	1223 495 1242 239 113 359 347 367 579 624 165 178 207 400 553 175 360 141 236 699 163 230	678 534 1460 125 342 230 297 700 134 345 225 228 234 479 223 269 70 248 629 237	5 137 282 31	76 167	1180 290 1062 134 97 311 136 565 162 220 146 220 147 250 322 155 239 96 665	636 281 1255 48 79 374 256 56 548 130 241 155 146 215 113 113 115 118	544	204 3 173 3 173 3 173 3 173 3 173 3 173 3 173 3 175 3	42 253 205 7 77 53 51 86 6 140 121 152 4 104 104 109 264 110 102 35 130 70 65 68 88	90 58 60	93 11 50 93 1 71 13 3 95 33 90	6.73 10.27 13.61 21.12 20.01 11.75 5.70 16.09 10.87 12.85 18.77 9 52 13.73 8.20 11.03 14.98 6.90	12.23 13.18 15.56 11.83 7.86 12.17 13.42 13.23 10.26 13.19 7.45 11.05 13.02 15.65 7.51 16.26 4.07 12.03 12.03 11.03 11.03	9.83 10.79 7.89 9.75 1.72 3.07 5.34 2.51 3.47 4.13		11.73 13.01 25.37 7.80 9.77 14.35 17.80 12.09 9.07 5.92 17.21 12.87 12.05 18.25 12.98 14.47 10.74	11.84 11.39 15.37 9.08 6.35 11.42 11.81 11.73 7.33 9.44 12.12 12.78 6.94 12.19 9.10 10.11 3.91 9.10 9.25 11.81	10.14 .34 10.14 1.45 2.54 6.30 6.25 .36 1.74 5.09 .09 5.11 6.06 6.83 4.64 2.48	3.52	12.91 14.19 18.93 3.41 18.18 9.41 24.06 18.19 9.26 23.80 5.03 12.69 7.48 14.45 19.56 3.11 12.16 5.45 7.35	16.81 14.58 12.14 23.17 22.49 14.65 12.30 23.87	1.21	2.62 8.73 4.99 13.08 14.61 7.94 10.83 2.90 2.47 2.79 13.94	53717 24709 81592 5282, 12424 32726 21661 7820 19096 40700 117856 24667 11780 11422 20748 17640 11937 16511 8935 14989 43839 11437	1718 15797 12191 3281 4365 2200 3823 9556 9836 6368 126 6556 4490 7615 10374 11809 2798 6139	55435 405-6 93783 10563 10563 3-926 25484 17376 28932 33028 17470 19937 31122 29449 18364 26207 17182 20565 46637 23512
State (exclusive of Baltimore)	9373	8567	806		7247	6103	1144	1988	2454		466	13.46	. 12.29	1.17		13.06	11.16	1 90		12.34	15.31		2.97	546863	160207	697070
Baltimore City	8620	10141		1521	7001	7659	65	8 1619	2482		863	16.19	19.05		2.86	15.48	16.93		1.45	20.28	31.09		10,81	452374	79831	532205
State and city	17993	18708		715	14248	13762	486	3607	4936		1329	14.63	15.21		58	14.40	13.91	-49		15.02	20.56		5.54	989237	240038	1229275



TABLE C .- DEATHS IN MARYLAND, 1903, BY COUNTIES, WITH DISTINCTIONS OF SEASON, AGE, SEX AND COLOR. (Billimore City not included.)

												٠,																								
Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Male.	Female.	White.	Colored.	Total.	o to I.	I to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 8o.	80 and Over	<b>U</b> пкпоwn.
Allegany Anne Arundel Baltimore Calvert Caroline Carroll Caroll Corrolester Frederick Garrett Harford Howard Kent Montgomery Frince George's Queen Aune's Somerset Tablo Y Washington Wicomico Worcester Totals	52 142 15 12 47 28 21 59 14 49 27 24 44 12 28 2 29 50 22 22	61 39 137 15 9 41 21 19 31 66 10 30 20 30 17 45 23 30 17 18 5 5 25 22 27	57 49 122 7 13 38 36 22 19 78 15 42 24 31 23 39 28 20 4 21 49 16 29	10 49 90 4 13 32 43 14 18 70 12 25 20 18 23 49 21 24 5 65 19 11	85 51 138 14 7 37 28 17 17 17 55 10 30 15 24 10 30 12 15 11 18 51 18 51 18	54 586 133 23 27 26 23 42 8 19 16 26 14 44 12 14 42 11 36 15 15 15	360 37 38 20 37 37 48 28 23 25 25 57 26 27 11 23 60 35 32	55 49 125 7 12 42 35 18 31 58 13 27 17 17 18 32 18 37 18 32 19 19 51 20 21 21	62 36 110 13 11 32 15 17 29 48 13 26 16 30 21 28 17 20 4 26 4 4 26 4 4 26 4 4 4 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	65 355 127 7 7 7 7 7 7 7 7 7 28 25 14 24 66 9 23 15 23 23 23 23 21 13 13 13 15 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	45 21 105 2 10 38 32 30 30 22 41 8 20 12 11 39 22 24 8 8 22 24 13 25 26 27 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	68 34 121 18 19 29 32 15 25 63 14 27 20 25 35 19 26 17 18 18 18	381 286 779 73 57 211 181 102 151 354 68 182 117 140 110 258 112 129 44 114 307 115 125	297 248 681 52 75 214 161 128 146 346 66 163 158 124 221 140 26 134 140 21 221 140 26	636 281 1255 48 79 374 256 548 130 241 155 146 144 215 113 1167 359 172	42 253 205 77 53 51 86 140 121 152 4 104 70 152 90 264 110 102 35 130 70 65 88	678 534 1460 125 342 230 297 700 134 345 225 298 234 479 223 269 70 248 629 237	163 150 277 21 23 76 55 61 63 133 25 50 67 51 116 51 49 12 49 110 49 66	51 61 115 16 6 30 37 19 24 60 17 25 14 29 28 51 17 20 6 6 27 41 15	26 17 43 7 5 8 9 7 7 24 4 4 7 11 14 14 5 4 0 2 14 4 7	17 9 24 1 5 5 10 5 11 12 16 2 4 9 6 5 15 15 10 12 14 14 15 10 10 10 10 10 10 10 10 10 10 10 10 10	13 30 46 3 9 11 5 11 16 20 6 19 16 17 8 18 7 7 12 2 2 12 13 16 5	40 29 63 112 13 16 12 21 28 10 6 10 12 12 22 8 9 5 14 12	42 18 71 5 2 10 11 15 16 27 8 8 12 8 8 11 7 20 14 7 3 3 3 15	29 13 61 6 5 10 11 5 12 21 3 14 6 10 5 13 10 10 11 10 11 10 10 10 10 10 10 10 10	26 10 50 0 2 18 14 7 7 12 19 3 9 5 6 6 6 7 2 2 10 10 10 10 10 10 10 10 10 10 10 10 10	22 18 71 4 2 16 14 5 5 14 17 7 7 9 2 8 4 17 7 7 9	25 16 48 2 5 9 15 2 8 10 2 14 4 4 9 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24 9 50 2 6 14 13 8 19 10 10 10 10 8 21 7 7 9 2 9	26 29 81 6 2 18 17 7 7 9 24 9 15 7 7 13 9 4 12 13 14 15 16 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	36 32 73 11 8 26 15 8 10 42 2 3 15 9 8 11 29 10 18 5 14 40 17 17	31 23 91 4 10 24 18 12 21 42 7 7 30 10 16 16 20 53 13 10	29 21 88 8 6 40 29 13 19 54 4 25 11 23 9 25 9 20 5 19 4 7 19 24	26 16 65 5 8 26 20 10 11 61 5 23 15 12 16 24 8 19 2 17 46 12	42 27 114 9 14 58 36 15 9 72 13 39 24 21 20 23 23 23 60 21 19	10 6 29 3 1 5 6 4 5 1 1 7 2 7 5 7 6 3 6 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
		//1	702	055	700	014	040	734	002	654	618	729	4396	4171	6103	2464	8567	1753	727	243	205	315	401	336	285	267	310	249	287	371	450	510	540	468	701	149

TABLE II.
BIRTHS IN 1903, BY COLOR, SEX AND LOCALITY.

	Male.	Female.	Unknown.	White.	Colored.	Unknown.	Total.
Allegany Anne Arundel Baltimore Calvert. Caroline Carroll Cecil Charles Dorchester Frederick Garrett Harford. Howard Kent. Montgomery Prince George's Queen Anne's Somerset. St. Mary's Talbot Washington Wicomico Worcester Baltimore city	700 264 621 112 48 173 187 182 304 356 85 98 139 105 183 273 89 183 82 102 369 78 128 4428	520 230 615 121 64 186 160 184 271 266 80 80 137 99 217 277 86 172 59 132 327 76 101	3 1 6 6 6 1	1180 290 1062 134 97 319 311 136 396 565 162 146 220 147 250 322 155 239 96 178 668 153 121 7001	40 204 173 99 15 40 36 230 179 3 3 32 57 57 150 231 20 118 45 56 28 8 8 107 1619	3 1 7 6 1	1223 495 1242 239 347 367 579 624 165 178 278 207 400 553 175 360 141 236 699 163 230 8620
Totals	9289	8652	52	14348	3606	39	17993

TABLE III.

DEATHS FOR THE YEAR 1903 BY AGES, SHOWING PERCENTAGES OF THE TOTAL MORTALITY FALLING IN THE SEVERAL PERIODS OF LIFE. (ALL MARYLAND).

	Number.	Per Cent.
o to I o to 5 5 to Io II to Io IS IS to 20 20 to 30 30 to 40 40 to 50 50 to 60 60 to 70 70 to 80 So and over	4467 5582 503 380 615 1604 1472 1526 1678 2039 1955	24.09 30.09 2.71 2.05 3.32 8.65 7.9 8 23 9.05 11.00
Total	18546	

TABLE IV.

DEATHS FOR THE YEAR 1903 BY AGES, SHOWING PERCENTAGES
OF THE TOTAL MORTALITY FALLING IN THE SEVERAL
PERIODS OF LIFE. (MARYLAND, 1903.) (EXCLUSIVE
OF BALTIMORE, 1903.)

	Number	Per Cent. of Total Mortality.
o to I	1753 2480 243° 205 315 401 336 285 267 310 249 287 371 450 510 540 468 701	20.82 29.46 2.89 3.43 3.86 4.76 3.99 3.39 3.17 3.68 2.96 3.41 4.41 5.35 6.06 6.88 5.55 8.32

TABLE V.

Population at Quinquennial Age Periods, with Deaths in Each Period, and Death Rates Per 1,000 Living in the Age Periods. (All Maryland, 1903.

Estimated Population, 1,229,275.)

,	Per Cent.	Number Living at Each Age Period.	Deaths.	Death Rate Per 1,000 of Those Liv- ing in the Age Period.
Under 5 years	11.33 11.25 10.75 10.1 9.66 8.5 7.5 6.66 5.75 4.66 4 3.1 2.5 1.8 1.33 .20	139,317 138,293 132,147 124,157 118,829 104,488 92,195 81,951 70,683 57,366 44,171 38,100 30,732 22,757 16,390 8,195 4,097 2,458 1,229 614	5,582 503 380 615 1,604 1,472 1,526 1,678 2,039 1,955	40.07 3.63 2.87 4.95 7.18 8.51 11.91 20.37 38.12 79.5

#### TABLE VI.

A CLASSIFICATION OF CAUSES OF DEATH, WITH THE NUMBERS OCCURRING, AND THEIR RATIOS TO TOTAL MORTALITY. (MARYLAND, EXCLUSIVE OF BALTIMORE, 1903.)

PARASITIC DISEASES.	Number.	Per Cent.
*INFECTIOUS AND CONTAGIOUS DISEASES. Typhoid fever, scarlatina, whooping-cough, diphtheria, influenza, cerebro-spinal meningitis (epidemic), small pox, measles, glanders,		
anthrax, actinomycosis	911	10.63
anus, pneumonia, gonorrhœa, rabies	1879	22.93
furuncle, erysipelas, pleurisy, appendicitis  CONSTITUTIONAL DYSCRASIAS.  Diabetes, exophthalmic goitre, gout, anæmia,	1438	16.72
chlorosis	62	.72
POISONINGS AND INTOXICATIONS. Alcoholism, saturnism, and occupational intoxi-	354	4.13
cations	26	.30
Epithelioma, carcinoma, sarcoma		3.21
dementia, locomotor ataxiaviol.ence. Suicide, homicide, murder, duelling, accidental violence, poisoning, gas inhalation, drowning, strangulation and legal execution, death by insolation, lightning and freezing, burns and	2239 .	26 07
scalds  Ill-defined diseases Other inaccurately-classified affections	220 364 799	2.57 4.24 9.32
Total	8567	

<sup>\*</sup>All communicable diseases have been assumed to be due to a living organism, and included in this list whether specific living cause has been discovered or not.

†The distinction between those three classes is one of kind rather than degree, as all parasitic diseases may at some time be communicable.

‡Includes mainly the disorders dependent on advanced years and prolonged strain.

#### TABLE VII.

PRINCIPAL CAUSES OF DEATH IN MARYLAND IN 1903, WITH DEATH RATES PER 10,000 (BALTIMORE CITY EXCLUDED.)

	Number Deaths.	Death Rate per 10,000 Living
I Tuberculosis, Pulmonary and Laryngeal  2 Pneumonia  3 Infantile Diarrhœa  4 Organic Diseases of the Heart	1090 562 535 535 390 459 358 354 275 299 364 239 293 132 132 150	15.8 8.06 7.67 7.67 5.6 6.58 5.14 5.08 3.95 4.28 5.22 3.43 4.23 1.89 1.89 2.15

#### TABLE VIII.

PRINCIPAL CAUSES OF DEATH IN ALL MARYLAND IN 1903, WITH DEATH RATES PER 10,000 OF POPULATION.

·	Number Deaths.	Death Rate per 10,000 Living.
1 Tuberculosis, Pulmonary and Laryngeal 2 Pneumonia	2306 1357 1105 1185 1.83 717 727 804 645 488	18.77 11.04 8.99 '9.61 8.82 5.83 5.91 6.55 5.24 3.97
11 Unspecified and Ill-Defined Causes	459 417 685 196 284 438 310	3.97 3.39 5.57 1.6 2.31 3.56 2.52

TABLE IX.

PRINCIPAL CAUSES OF DEATH IN MARYLAND IN 1903, WITH RATIOS TO TOTAL MORTALITY. (BALTIMORE EXCLUDED.)

,	Number	Per Cent.
I Tuberculosis of the Lungs and Larynx	2306	12.87
2 Infantile Diarrhœa	1105 1357	5.91 7.25
4 a. Organic Disease of the Heart	1185 717	5.13 3.83
5 Congenital Debility	804 727	4·3 3·9
7 Bright's Disease	1085 459	5.8 2.45
9 Typhoid Fever 10 Whooping-Cough	488 196	2.68 1.05
11 Accidental Traumatism	602 371	3.23 1.98
13 Convulsions of Children	284 310	1.52
15 Broncho-Pneumonia	438	2.34

TABLE X.

PRINCIPAL CAUSES OF DEATH IN ALL MARYLAND IN 1903, WITH RATIOS TO TOTAL MORTALITY.

	Number.	Per Cent.
1 Tuberculosis of the Lungs and Larynx	1090	12.72
2 Infantile Diarrhœa	535	6.19
3 Pneumonia	562	6.50
4 a. Organic Disease of the Heart	535	6.19
4 b. Senile Debility	459	5.41
5 Congenital Debility	354	4.13
6 Cerebral Congestion and Hemorrhage	358	4.18
7 Bright's Disease	390	4.67
8 Unspecified and Ill-defined Causes of Death	364	4.25
9 Typhoid Fever	299	3.49
10 Whooping-Cough	132	1.56
II Accidental Traumatism	200	2.33
Paralysis Without Specified Cause	206	2.40
13 Couvulsions of Children	151	1.76
14 Diphtheria and Croup	150 132	1.75 1.54

#### TABLE XI.

DEATHS FROM FIFTEEN PRINCIPAL CAUSES IN MARYLAND (EXCLUSIVE OF BALTIMORE), 1903, SHOWING NUMBER AND PERCENTAGE OF DEATH IN EACH OF THREE AGE PERIODS.

	Number.	Per Cent. in Each Period.
TYPHOID FEVER.		
Under 15	<b>7</b> 8	26.62
15 to 45	175	59.72
45 and over	40	13.66
	293	
PARALYSIS.	, ,	
Under 15	I	.42
15 to 45	17	7.26
45 and over	216	92.32
	234	
BRIGHT'S DISEASE.		
Under 15	13 63	3.43 16.57
15 to 45	304	80.00
10	380	
WHOOPING-COUGH.	300	
Under 15	128	97.71
15 to 45	2	1.52
45 and over	I	.77
	131	
HEART DISEASE.	-3-	
Under 15	26	4.56
15 to 45	79	13.85
45 and over	465	81.59
	570	
MALIGNANT NEOPLASMS.		
Under 15	6	2.25 16.16
15 to 45	43 217	81.59
45 and <b>o</b> ver	21/	01.59
	266	
DIPHTHERIA.		.0.6-
Under 15	142	98.65
15 to 45	0	1.35
	148	
BRONCHO-PNEUMONIA.		
Under 15	104	83.20
15 to 45	2	1.60
45 and over	19	15.20
	125	

# TABLE XI-Continued.

	Number.	Per Cent. in Each Period.
ACCIDENTAL VIOLENCE.		
Under 15	71	26.43
15 to 45	127	47.14
45 and over	71	26.43
Manage of the second of the second	269	
TUBERCULOSIS (Lungs and Larynx). Under 15	120	11.13
15 to 45	673	62.43
45 and over	285	26.44
	1078	
PNEUMONIA.	278	10.64
Under 15	95	49.64
45 and over	187	33.40
		33.4-
	560	
CEREBRAL HEMORRHAGE.		
Under 15	II	.31
15 to 45		8.94
45 and 0 vol	303	90.73
	347	
DIARRHŒA AND ENTERITIS.	-	
Under 15		89.27
15 to 45		2.52 8.21
45 and over	52	0.21
OTHER CAUSES.	634	
Senile debility (over 45)	455	
Congenital debility (under 15)	352	
Infantile convulsions (under 5)	151	
Unspecified and ill defined causes	364	

TABLE XII.

DEATHS, 1903, BY MONTHS, WITH PERCENTAGES. (RURAL MARYLAND.)

	1		
	Deaths.	Per Cent.	
January February. March. April. May June July August. September October. November. December	800 771 782 655 700 614 848 734 662 654 618 729	9.34 8.87 9.13 7.65 8.05 7.17 9.89 8.45 7.73 7.63 7.21 8.39	

# List of County Health Officers.

A 11 a min su		TD	J. M. Spear	Cumberland
			H. R. Walton	
			H. R. Walton	Annapons.
Baltimore			O T W-445-134	O-to
	istric		C. L. Mattfeldt	
2d	"		John E. Bolte	
3d	"		Henry A. Naylor	
4th	"		Harry M. Slade	
5th			J. H. Drach	
6th	"		Joseph S. Baldwin	
7th	"		Thomas Baldwin	
8th	"		T. Ross Payne	
9th	"		R. C. Massenburg	
10th	"		Thomas Emory	
11th	"		Chas. F. H. Gorsuch	
12th	66	Dr.	J. C. Schofield	. Highlandtown.
13th	"	Dr.	Frank H. Ruhl	Lansdowne.
14th	"	Dr.	Wm. D. Corse	Gardenville.
15th	"	Dr.	John W. Harrison	Middle River.
Calvert		Dr.	A. J. Williams	Barstow.
Caroline		Dr.	Enoch George	Denton.
Carroll		Dr.	Charles R. Foutz	.Westminster.
Cecil		Dr.	Howard Bratton	Elkton.
Charles	• • • • • •	Dr.	G. O. Monroe	.Waldorf.
Dorchester	r	Dr.	Guy Steele	Cambridge.
			W. H. Ravenscroft	
			F. P. Smithson	
			Thos. B. Owings	
			Wm. R. Messick	
Montgome	erv	Dr.	Wm. L. Lewis	Kensington.
			L. A. Griffith	•
	_		Charles Cockey	* *
			T. Jacob Smith	
			Thomas H. Lynch	
			E. R. Trippe	
			C. R. Scheller	
			Chas. R. Truitt	
			C. P. Jones	•
· Orcester	•••••	*****************	C. I. Jones	TOROW ALIE

# Town Health Officers.

Aberdeen	Dr. J. H. Kennedy.
Annapolis	Dr. John Ridout.
Brunswick	
Cambridge	
Cumberland	
Frederick	
Frostburg	Dr. W. O. McLane.
Havre de Grace	
Kensington	
Olney	
Lonaconing	Dr. James O. Bullock.
Laurel	
Takoma Park	

# List of Sub-Registrars.

#### ALLEGANY COUNTY.

Dr. J. O. Bullock	Lonaconing.
Dr. S. A. Boucher	
Dr. Edward Quarles	
Dr. A. P. Twigg.	
Dr. L. V. Harbaugh	
Dr. J. B. Shupe	
Dr. James H. Carpenter	
Dr. J. A. Watson	
Dr. J. Carl Smith	Ellerslie.
Dr. C. L. Cunningham	
Dr. Edward Cresap	

#### ANNE ARUNDEL COUNTY.

Mr. Morris Talbot	.Davidsonville.
Dr. Wm. G. Williams	.Conoways.
Dr. Clyde Williams	.Armiger.
Dr. George Crane	
Dr. R. A. Hammond	
Dr. J. W. DuBois	.Gambrills.
Dr. C. H. Brooke	.Brooklyn.
Dr. J. B. Robinson	.Brooklyn.
Dr. C. R. Winterson	.Elkridge.
Dr. F. H. Thompson	Annapolis.
Dr. W. C. Claude	
Dr. A. H. Perrie	.McKendree.
Dr. G. T. Dent.	
Dr. Carl B. Boyd	.Shadyside.
Dr. Thomas H. Brayshaw	
Dr. Guy Latimer	

#### BALTIMORE COUNTY.

Dr. Charles L. Mattfeldt	Catoneville
Dr. John E. Bolte	
Dr. Henry A. Naylor	Pikesville.
Dr. Harry M. Slade	Reisterstown.
Dr. J. H. Drach	Butler.
Dr. Thomas Baldwin	Gemmill.
Dr. Joseph S. Baldwin	Eklo.
Dr. T. Ross Payne	Corbett.
Dr. R. C. Massenburg	Towson.
Dr. Thomas H. Emory	Hess, Harford county.
Dr. James F. H. Gorsuch	Fork, Baltimore county.
Dr. J. C. Schofield	Highlandtown.
Dr. Frank H. Ruhl	Lansdowne.
Dr. Wm. D. Corse	Gardenville.
Dr. John W. Harrison	Middle River.
CALVERT COUN'	TY.

Dr. George F. Chambers	Lusby's P. O.
Dr. Philip Briscoe	Mutual.
Mr. Wm. Duke	
Mr. Thomas F. Lusby	Bowens.
Mr. J. M. B. Dalrymple	Lower Marlboro.
Mr. Wm. H. Ward	Mt. Harmony.

## CHARLES COUNTY.

Mr. N. S. Yates	Wicomico.
Mr. J. H. Carpenter	Hughesville.
Mr. F. L. Dent	Bryantown.
Mr. P. W. Robey	Bel Alton.
Mr. W. T. Hicks	Waldorf.
Mr. H. S. Robertson	La Plata.
Mr. Harry Dement	Indian Head.
Mr. C. D. Carpenter	
Mr. J. R. Perrie	Harris Lot.
Mr. M. Clements	Irouside.
Mr. N. F. Brawner	McConchie.
Mr. J. P. Marshall	Pomonkey.
Mr. W. R. Clark	Newburg.

### CECIL COUNTY.

Miss Hannah M. Kirk	Rising Sun.
Mr. Harry R. Cameron	
Mr. Thos. B. Cramer	North East.
Mr. Edw. F. Knight	Cherry Hill.
Mr. Wm. A. Alexander	Chesapeake City.
Mr. John H. Black	Cecilton.

#### CAROLINE COUNTY.

Mr. Jacob Rickards	Marydel.
Dr. H. W. B. Rowe	
Mr. Harry Turpin	
Dr. Theo. Saulsbury	
Mr. Chas. Harrison	
Dr. R. Kemp Jefferson	
Dr. W. Miller	
Dr. John Duhadaway	
Mr. J. D. Davis	
•	0 )

#### CARROLL COUNTY.

Mr. Norman B. Hagan	.Taneytown.
Mr. Wm. Moore	
Mr. J. R. Lippy	.Silver Run.
Mr. Michael Glennan	
Mr. Wm. J. Crabbs	
Mr. Marion J. Leister	
Mr. J. P. Baltozer	
Mr. A. J. Houck	
Mr. Jacob Farver	
Mr. D. Calvin Warner	
Mr. Louis Dielman	
Mr. F. J. Lewis	
Mr. Walter W. Ritter	
Mr. J. Hamilton Singer	
J	

#### DORCHESTER COUNTY.

Galestown.
Eldorado.
East New Market.
Vienna.
Vienna.
Taylor's Island.
Taylor's Island.
Crapo.
Bucktown.
Airey.
Hurlock.
Hurlock.
Madison.
Madison.

#### FREDERICK COUNTY.

Mr. Thos. Greenwell	Urbana.
Dr. Clyde Routzahan	Buckeystown.
Mr. B. T. Nicodemus	Unionville.
Mr. C. F. Shifler	Middletown.
Mr. Thos. Wiles	Middletown.
Mr. Henry Stokes	Emmitsburg.
Mr. J. V. Hoover	Wolfsville.
Mr. F. A. Kessler	
Mr. F. E. Swadener	Libertytown.
Mr. H. C. Trundle	
Mr. G. M. Smith	
Mr. J. E. Jing	
Mr. C. T. Fox	
Mr. S. B. Blessing	
Mr. J. L. Jordan	
Mr. J. H. Witter	
Mr. R. E. Culler	
Mr. John Jones	
Mr. J. A. Gernand	Graceham
Mr. S. P. Bradenburg	
Mr. W. M. Krise	
Mr. Jos Wolfe	Mayarevilla
Mr. Christopher Baker	
Mr. M. F. Harley	
Mr. H. M. Wiener	
Mr. S. M. Stem	Sabiliasville.
GARRETT COUNT	: Y •
Mr. John G. Knowr	Red House.
Mr. Henry Kahl	
Mr. Peter Nathan	
Mr. Wm. A. Harvey	
Mr. David Merrill	Merrill.
Mr. John Spiker	
J	
HARFORD COUNT	Y.
Mr. C. C. Cronin	_
Mr. C. E. Creswell	
Mr. J. W. Taylor	
Mr. H. W Earle	
Mr. James A. Lyle	
Mr. F. P. Smithson	
Mr. Thomas Johnson	Jarrettsville.

#### HOWARD COUNTY.

Mr. Resau.	Elkridge.
Mr. Robert Cary	Ilchester.
Mr. Bernard Wallenhorst	Ellicott City.
Mr. John Streaker	
Mr. J. S. McAvoy	
Mr. David Donavin	
Mr. Charles Pickett	
Mr. Wm. Mathews	
Dr. Nichols	
Mr. Charles Wilson	•
Mr. G. W. Wiswarner	-
Mr. Wm. Whipps	
••	

#### KENT COUNTY.

Mr. Joseph Boyd	Galena.
Mr. Willard Melvin	Chestertown.
Mr. E. S. Price	
Mr. F. M. Satterfield	Rock Hall.
Mr. J. C. Rasin	Still Pond.

#### MONTGOMERY COUNTY.

Dr. E. C. Etchison	Gaithersburg.
Dr. J. R. Simpers	Germantown.
Dr. W. A. Waters	
Dr. J. A. Stonestreet	Barnesville.
Dr. G. E. Deets	Clarksburg.
Dr. D. F. Lansdale	
Dr. R. T. Gott	Poolesville.
Dr. U. D. Nourse	Dawsonville.
Dr. C. H. Nourse	Darnestown.
Dr. J. L. Lewis	Bethesda.
Dr. J. R. Batson	Spencerville.
Dr. W. T. Brown	Burnt Mills.
Dr. W. T. Pratt	Potomac.
Dr. Edward Anderson	Rockville.
Mr. S. D. Waters	Silver Spring.
Dr. Wm. L. Lewis	Kensington.

#### PRINCE GEORGE'S COUNTY.

Mr. S. W. Hall	Beltsville P. O.
Mr. George M. Smith	Hyattsville P. O.
Mr. R. Ernest Smith	
Mr. R. H. McKee	Nottingham P. O.
Dr. Harry Nally	
Mr. S. E. Cox	Anacostia, D. C.

Mr. Walter Ryon	. Collington.	
Mr. Jos. S. Fowler		
Dr. John L. Waring		
Mr. W. H. Squires		
Mr. R. F. Grimes	•	
Mr. Elon Behrend		
Mr. B. C. Scott		
Dr. N. A. Ryon	Bowie.	
QUEEN ANNE'S CO		
Mr. Fred. Stack		
Mr. R. H. Phillips	Barclay.	
Mr. R. F. Hartly	Crumpton.	
Mr. J. E. Bryan		
Mr. B. Emory		
Mr. C. O. Coursey		
Mr. J. M. Aker		
•	• •	
Mr. C. E. Smith		
Mr. E. W. Cooper	Sudlersville.	
ST. MARY'S COUL	N/MX7	
Dr. Walter B. Dent		
Dr. R. V. Palmers		
Dr. J. O. King	Oakville.	
Dr. J. R. Morgan	Mechanicsville.	
Dr. I. H. Lynch		
Dr. L. M. Tippett	-	
Mr. J. A. B. Shermantine		
Mr. — Drury		
M1. — Diary	Worganza.	
SOMERSET COUN	TY.	
Mr. Samuel W. Kennerly	Crisfield	
Mr. Thos. W. Landon		
Mr. Thos. w. Landon	rairmount	
Mr. George R. Handy	Westover.	
Mr. G. W. Riddle	Pocomoke City (Dublin Dist.)	
Mr. Aden Davis, Jr		
Mr. W. S. Kelly		
Mr. Jas. H. Anderson	Deal's Island.	
Dr. R. L. Hoyt	Oriole.	
Dr. George R. Marsh	Mt. Vernon.	
<b>G</b>	•	
TALBOT COUNTY.		
Mr. Wm. P. Holliday	Oxford.	
Mr. Olga Smith		
Mr. Walter Skinner		
Mr. Jos. G. Skinner		
Mr. Wm. J. Jackson	Ingnman.	
Mr. John S. Sullivan	Trappe.	
Mr. John Fairbank	Easton.	
Dr. James G. Haddaway	St. Michaels.	

#### WASHINGTON COUNTY.

"" IIIIIII GION COC	/4 T T +
Mr. Van S. Brashears	Sharpsburg
Mr. J. E. Hawken	Williamsport
Mr. Joseph M. Little	
Mr. Charles H. Sutton	
Mr. O. Jesse Stottlemyer	
Mr. Daniel G. Krouse	
Mr. J. H. Ferguson	Smithsburg
Mr. Eugene A. Browne.	
Mr. B. G. Sheiss	
Mr. M. Z. Miller	
Mr. James Morrow	
Mr. T. Bell Johnson	
Mr. Preston E. Miller	Keen Tryst
Dr. V. M. Richard	
Mr. John H. Baughman	
Mr. John Meyers	Green Spring Furnace.
Mr. Henry Shirk	
Mr. John Clarke	Beaver Creek.
Mr. Joshua C. Hine	Keedysville.
Mr. A. M. Scott	Downsville.
Mr. John B. Huyett	
Mr. Joseph Harrison	Hancock.
WICOMICO COUN	
Mr. H. James Truitt	Pittsville.
Mr. Paul Powell	
Mr. W. A. C. Williams	Delmar.
Mr. George Freeny	Quantico.
Mr. J. S. English	Mardella.
Mr. L. T. Walker	Nanticoke.
Mr. Bernard Denson	
Mr. Thos. Turpin	Salisbury.
Mr. Wesley Truitt	
Mr. S. P. Parsons	
Mr. Isaac S. Messick	
Mr. H. S. Phillips	
Mr. W. C. Mann	
Mr. Wm. Benton	
Mr. Wm. A. Trader	
WORCESTER COU	•
Mr. William Rounds	
Mr. H. King	
9	
Mr. D. A. Massey	
Mr. Timothy Rayne	-
Mr. W. O. Payne	
Mr. Thomas Corbin	
Mr. Cott. Jas. Mumford	Ocean City.
Mr. John B. Richards	
Mr. William F. Hillman	.Kiej Grange.

# List of Bacteriological Sub-Stations.

#### ALLEGANY COUNTY.

Dr. J. M. Spear	Cumberland.
C. E. Pearce's Drug Company	
C. H. Holtzman, Druggist	Cumberland.

### ANNE ARUNDEL COUNTY.

Dr. W. H. Rullman......Annapolis.

#### BALTIMORE COUNTY.

Farrow Bros	Northav. & 10thst., Walbr'k.
H. R. Polk, Druggist	.Arlington.
J. A. Carnes	.Cockeysville.
J. S. Woodward	.Sparrow's Point.
T. Ross Payne	
Massenburg & Co	
Dr. J. Royston Green	
W. P. Fields	
Gibson Pharmacy	
Truitt's Pharmacy	
J. H. Drach	
Frank Purdum	

#### CAROLINE COUNTY.

Smith's Pharmacy	Ridgely.
Dr. George W. Batson	
Dr. J. L. Noble	Preston.

#### CARROLL COUNTY.

Dr. R. F. Wells	Hampstead.
Dr. J. S. Matthias	Westminster.
Dr. Robert S. McKinney	Taneytown.
Chas. J. H. Ganter	
L. E. Stauffer	Union Bridge.
W. Scott Zepp	
Lewis Stouffer	
W. W. Ritter	
T. K. Shaw	•

#### CECIL COUNTY.

H. C. Wells	Elkton.
H. R. Cameron	Port Deposit.
E. T. Reynolds	Rising Sun.
Dr. D. M. Ragan	

#### CHARLES COUNTY.

CHARLES COUN	TY.	
W. S. Latus	Wicomico.	
Henry G. Robertson		
Wm. L. Hicks		
Andrew L. McDaniels	romonkey.	
DORCHESTER CO	UNTY.	
Dr. John Mace	Cambridge.	
DeReeves' Pharmacy	Cambridge.	
Dr. E. E. Wolff	Cambridge.	
W. R. Elliott	Vienna.	
FREDERICK COU	INTY.	
S. Schley & Bro	Frederick	
Emergency Hospital		
H. D. Barnett & Co.		
Zimmerman's Drug Store	Enimitsourg.	
GARRETT COUN	ITY.	
J. E. Harnett	Oakland.	
HARFORD COUL		
Dr. Chas. H. Kriete	Aberdeen.	
E. Dell & Co	Aberdeen.	
E. A. Zeitler	Havre de Grace.	
Dr. H. F. Silver	Henderson.	
Richardson's Drug Store	Belair.	
Dr. F. P. Smithson		
HOWARD COUN	TY.	
J. Martin		
T. A. Gilmer		
KENT COUNT	Υ.	
C. F. Stam's Drug Store	Chestertown.	
MONTGOMERY CO	UNTY.	
Dr. Charles Farquhar		
Dr. William L. Lewis	Kensington.	
Dr. W. T. Pratt		
PRINCE GEORGE'S COUNTY.		
Dr. M. D. Humes		
Alfred H. Wells	Hyattsville.	
QUEEN ANNE'S CO	OUNTY.	
Foreman Drug Company	Centreville.	
Walter Wallis		
Dr. W. G. Coppage		
Dr. Foster Sudler		

Dr. C. Percy Kemp......Stevensville.

#### SOMERSET COUNTY.

Simonson's Drug StoreCrisfield.	
Dr. Martin W. Goldsborough Princess An	ne.
Dr. G. E. DickinsonKingston.	

#### ST. MARY'S COUNTY.

#### TALBOT COUNTY.

Dr. E. R. Trip	pe	Easton.
Dr. Joseph A.	Ross	Trappe.

#### WASHINGTON COUNTY.

D. C. Auginbaugh's Pharmacy	Hagerstown.
J. A. West	Hancock.
Schindel's Pharmacy	Hagerstown.
Wareham's Pharmacy.	
John E. Anderson	
Charles Downs	

#### WICOMICO COUNTY.

C. R. Truitt's Drug Store.....Salisbury.

#### WORCESTER COUNTY.

Lloyd, Blaine & Co	.Pocomoke	City.
Dirickson's Pharmacy	Berlin.	



# INDEX.

A

	PAG	E: +
Aberdeen	17,	29
Actinomycosis		36
Allegany County 17,	18,	23
Anne Arundel County		18
В		
Bacteriological Sub-stations, List of	97-	99
Bacteriologist's Report	35-	49
Baltimore		13
Baltimore, Chesapeake & Atlantic Railroad		33
Baltimore County	17,	25
Baltimore County Commissioners		26
Baltimore Fire		5
Belair	28,	29
Berlin		
Births in Maryland (1903) Among White and Colored Population		
by Counties (Table II).		8
Births, Birth Rate, Increase of, Compared to Total Mortality.		
Maryland (1903). Table B		81
Birth Registration, A Suggestion Concerning the Improve-		
ment of		10
Boards of Health, County13,	14,	15
Bosley, Dr. James		29
Brown, Mr. George Stewart		8
C		
Camden		29
Caroline County	17,	
Carlos		23
Charles Government		10
Charles County Chestertown		
		_
Chicker no.		25
City Operating Herrital		
City Quarantiue Hospital	27,	-
Cole Postoffice		50
Commission, Tuberculosis		30
Commissioners, Chestertown		7 30
Commissioners, Chestertown		30

IO2 INDEX.

	PAC	èΕ.
County Board of Health, Worcester		33
County Boards of Health	13,	14
County Commissioners, Kent		30
County, Garrett		9
County Health Officers, List of		••••
County, Moutgomery		9
County Registrars		12
County, St. Mary's		9
County, Somerset		9
Cumberland	Iq.	
	٠.	Ŭ
D		
Death of Dr. John Morris		5
Delaware 13,	17,	18
Delaware, Maryland and Virginia Railroad		33
Delirium Tremens		19
Diphtheria		14
Dirickson, Dr. E. J		5
Diseases, Transmissible		15
Dorchester County		18
E		
Easton		31
Edgewood	17,	
Examinations for Physicians for the Detection of Disease		35
F		
Fire, Baltimore		5
Food Inspector		35
Food Products, Gross and Microscopic Examinations of		35
Frederick County	т8.	
Fulton, Dr. John S		
	J~,	19
G		
Garrett County	18,	27
Glenn, Mr. John M.		8
Gorsuch, Dr. J. F. H.		26
Gross and Microscopic Examinations of Diseased Food Products		35
Н		
Harford County	۰۵	20
Harra de Cross	20,	29
Havre de Grace	27,	29
Health Officers, Normal School of		
Health Officers, Normal School of		15
History of Small por		8
History of Small-pox		17
Hombergville		<b>2</b> 6
Hopkins, Dr. J. Lee		29
Howard County		18

J

	LAC	734.
Jones, Dr. C. Hampson		30
Jones, Dr. Chas. P		33
K		
Kennedy, Dr. J. H	-0	29
Kent County	10,	
Kent County Commissioners		30
King Bros		8
L		
Laurel		10
Letter of Transmission		5
List of Bacteriological Sub-stations.	07.	
List of County and Town Health Officers		
List of Sub-Registrars		
Local Boards of Health	90,	
		13
Local Boards of Health—A Plan for Increasing Their Efficiency.		
Lonaconing		17
Luke,	19,	23
М		
		-6
Maryland Public Health Association		16
Measles		14
Members, Officers and Employes		3
Messick, Dr. Wm. R		30
Mitten, Mr. Charles N		7
Montgomery County.	9,	18
Montreal		25
Morris, Dr. John, Death of		5
Mortality-Age Distribution for All Maryland-Table V		83
By Ages (All Maryland)—Table III		81
By Ages (Rural Maryland)—Table IV		82
By Months, with Percentages (Rural Maryland)-		
Table XII		88
Deaths, Death Rate, Increase of, Compared with		
Birth Rate—Table B		8r
Principal Causes of Death (Rural Maryland), Showing		
Number and Percentage of Deaths in Each of		
Three Age Periods—Table XI	87	88
Produced by Principal Causes of Death (Rural Mary-	~ <i>/</i> ,	
land), Death Rate per 10,000—Table VII		85
Produced by Principal Causes of Death (All Mary-		03
		0-
land), Death Rate per 10,000—Table VIII		85
Produced by Principal Causes of Death, Ratio of to		06
Total Mortality (Rural Maryland)—Table IX		86
Produced by Principal Causes of Death, Ratio of to		_
Total Mortality (All Maryland)—Table X		87
Rural Maryland Classified from a Sanitary Stand-		
point—Table VI		84

N

	PAGE.
Normal School for Health Officers	15
0	
Oakland	27, 28
D	
P	
Population of Maryland by Age (Quinquennial Periods), 1903-	
Table—V	83
Population Estimated of Maryland by Counties, 1903—Table B	81
Price, Dr. Marshall Langton	7, 8
Prince George's County	18
Public Health Association, Maryland	16
Public Schools	15
Pusey, Mr	29
Q	
Quarantine Hospital	
Queen Anne's County	17, 18
R	
Ravenscroft, Dr. W. H	27
Registrars, County	12
Report Blanks, Small-pox21,	22, 23
Report of the Secretary	7
Report of the State Board of Health	8
Report of the Tuberculosis Commission	8
Robins, Dr. Morris C	26
Rullman, M. L.	50
S	
St. Mary's County	9
Sanitation	14, 16
Scarlet Fever	14
Schofield, Dr. John C	26
School Commissioners of Worcester County	34
Secretary's Report	7
Small-pox 13,	17, 18
Small-pox, Report Blanks 21,	
Smith, Hon. John Walter	8
Smith, Dr. R. H.	29
Snow Hill.	-
Somerset County	9, 18
Spear, Dr. J. M	
Stockton	33
Stokes, Dr. Wm. R.	35-49
Sub-registrars, List of	
Suggestion Concerning the Improvement of Birth Registration	10
Sunnyside	28
,	

# Т

	PAGE.
Talbot County 17,	18, 31
Tapeworm	36
Thayer, Dr. Wm. S	8
Town Boards of Health	13
Transmissible Diseases	15
Transmission, Letter of	5
Trichinosis	36
Tuberculosis Commission	7, 8
Typhoid Fever	15
Typhoid Fever—Some Unconsidered Hindrances in Its Prophy-	*3
laxis	
	51
Typhoid Fever—Charts Illustrating the Confusion of Typhoid	
and Malaria in the 21 Grand Groups of the United States	
Census	54, 59
Typhoid Fever-Chart Showing Relation of Typhoid Mortality	
to Population Density	64
Typhoid Fever-Chart Showing Relation of Typhoid Mortality	
to the Population of Cities	65
Typhoid Fever-Tables Showing Relation of Typhoid Mortality	
in Urban and Rural Population	68, 70
Typhoid Fever-Table Showing Populations, Typhoid and Ma-	
laria Mortalities, with Population Densities and Typhoid	
Rates in the 21 Grand Groups	71
Typhoid Fever—Table Showing 301 American Cities Classified	, -
on a Descending Scale of Population with Typhoid Mortali-	
ties in Each of 10 Classes	71 70
	11, 19
U	
Union Abattoir	35
Urie, Dr. James	30
v	
Vaccination20, 26,	33, 34
Vale Summit	23
Virginia	13
Virginia, West	13
Vital Statistics	8, 9
Vital Statistics—Table A. Deaths in 1903 in Maryland, Exclu.	-, ,
sive of Baltimore, by Sex, Color, Age,	
Month and Causes (Insert)	So
Table B. Births, Birth-rate, Deaths, Death-	00
rate, Increase and Rate of Increase of the	
White and Colored Population of Maryland	_
by Counties (Insert)	So
Table C. Deaths in Maryland 1903 by Counties,	
With Distinctions by Season, Age, Sex and	-
Color (Baltimore City not included, (Iusert)	80
Tables II, III, IV, V, VI, VII, VIII, IX, X,	
XI, XII	81-88

# W

	P	AGE	₹.
Wailes, Dr. H. S		2	20
Washington County			32
Welsh, Dr. Lillian			8
Western Maryland Hospital	1	9, 2	25
Westernport			
West Virginia			
Whooping-cough		I	[5
Wicomico County	І	8, 3	32
Williamsport			, 32
Worcester County		~	
Worcester County Board of Health.	• •		, 3.3
Worcester County School Commissioners		_	34



